



Einhell

PROFESSIONAL

POWER X-CHANGE

Cordless Angle Grinder

TP-AG 18/125 F Li BL - Solo

Item No.: 4431175

Ident No.: 21013

Bar Code: 4006825678840

The Einhell Professional cordless angle grinder TP-AG 18/125 F Li BL - Solo is a powerful member of the Power X-Change family. The tool is driven by the Einhell PurePOWER brushless motor for more power and a longer runtime. After online registration, the motor comes with a 10-year guarantee. It delivers the same power as a corresponding corded device with 700 W. The angle grinder in flat-head design is suitable for grinding at acute angles of up to 43°. It has a dust-proof design and a disc guard with quick adjustment. A curved flap disc with ceramic abrasive (Ø 125 mm) is included. Supplied without battery and charger.

Features & Benefits

- Member of the Power X-Change family, 1 x 18 V battery required
- Brushless motor - more power and longer running time
- PurePOWER Brushless - 10-year motor warranty after registration
- Flat head angle grinder for grinding at acute angles up to 43°
- Dust-proof construction for a long service life
- Removable dust guards for easy cleaning
- Soft start and restart protection for safety and motor protection
- Disc guard with quick adjustment for more flexibility
- Additional handle can be assembled flexibly in 2 positions
- Includes cutting guard – for a wide range of applications
- Curved flap disc included – for processing fillet welds
- Recommendation for optimal results: 2.5 Ah battery and above
- Delivered without battery and charger (available separate)




Technical Data

- Disc size 125 mm
- No-load speed (idle speed) Max. 8500 min⁻¹
- Max. cutting depth 33 mm



Logistic Data

- Product weight (kg) 1.57
- Gross weight (kg) 2.17
- Dimensions single packaging 397 x 165 x 106 mm
- Pieces per export carton 4 Pieces
- Gross weight of export carton 10.3 kg
- Dimensions Export Carton 400 x 340 x 238 mm
- Container quantity (20"/40"/40"HC) 3240 | 6940 | 8060



Available as special accessories



2x 3,0Ah & Twincharger Kit
PXC-Starter-Kit
Item No.: 4512083
Bar Code: 4006825638509
Einhell Accessory



18V 2,5Ah PXC Starter Kit
PXC-Starter-Kit
Item No.: 4512097
Bar Code: 4006825646962
Einhell Accessory



18V 4,0Ah PXC Starter Kit A1
PXC-Starter-Kit
Item No.: 4512042
Bar Code: 4006825613704
Einhell Accessory



Power X-Fastcharger 4A
Charger
Item No.: 4512103
Bar Code: 4006825650228
Einhell Accessory



Power X-Twincharger 3A
Charger
Item No.: 4512069
Bar Code: 4006825629729
Einhell Accessory



Power X-Car Charger 3A
Charger
Item No.: 4512113
Bar Code: 4006825655377
Einhell Accessory



DIA-Trennsch dünn 125x1,4
Winkelschleifer-Zubehör
Item No.: 49724550
Bar Code: 4009317245506
Einhell Accessory



10 Trennschei. dünn 125x1,0
Winkelschleifer-Zubehör
Item No.: 49711945
Bar Code: 4009317119456
Einhell Accessory



5,2 Ah Power X-Change Plus
Battery
Item No.: 4511437
Bar Code: 4006825616606
Einhell Accessory



3x 125mm Flap Discs Curved
Angle Grinder Accessory
Item No.: 4440020
Bar Code: 4006825682274
Einhell Accessory



4-6 Ah Multi-Ah Power X-Change
Plus
Battery
Item No.: 4511502
Bar Code: 4006825644210



4,0 Ah Power X-Change
Battery
Item No.: 4511396
Bar Code: 4006825610376
Einhell Accessory



2x2 Power X-Quattrocharger 4A
Charger
Item No.: 4512102
Bar Code: 4006825649536
Einhell Accessory



E-Case S-F
System Carrying Case
Item No.: 4540011
Bar Code: 4006825653991
Einhell Accessory



18V 3,0 Ah Power-X-Change 1
Battery
Item No.: 4511341
Bar Code: 4006825590593
Einhell Accessory



2x18V 4,0Ah PXC-Twinpack CB
A1
Battery
Item No.: 4511489
Bar Code: 4006825638578




2 Schleifmop 125 K 40/80
Winkelschleifer-Zubehör
Item No.: 49795705
Bar Code: 4009317957058
Einhell Accessory




M14 Schnellspannmutter
Winkelschleifer-Zubehör
Item No.: 49717705
Bar Code: 4009317177050
Einhell Accessory



3,0 Ah Power X-Change Plus
Battery
Item No.: 4511501
Bar Code: 4006825644197
Einhell Accessory




Battery-Running-Times

One Battery for All	 cutting ¹ (pieces)
1.5 Ah	25
2.0 Ah	33
2.5 Ah	42
3.0 Ah	50
4.0 Ah	66
5.2 Ah	86
6.0 Ah	99
8.0 Ah	132

For best performance select a battery with at least 2.5 Ah

Test setup:

1) metal - round steel Ø 12 mm - Max. electronic speed



МАГАЗИН
БАШ МАЙСТОРА
ПРОФЕСИОНАЛНИ РЕШЕНИЯ