

Accessories

Battery holder Powered by Makita Li-ion Battery



As a charger for smart phones



LXT

18V
LITHIUM-ION

14.4V
LITHIUM-ION



Part No. YL00000003

CXT

12Vmax
LITHIUM-ION



Part No. YL00000004

Jacket Size



size (in cm)	S	M	L	XL	2XL	3XL
Length	68	69	71	75	78	82
Shoulder	50.5	52.5	54.5	55.5	56.5	57.5
Sleeve	63	64.5	66	67	68	69
Chest	108	118	128	138	146	156
Waist	102	112	122	132	140	150
Length	72	73	74	75	76	77
Shoulder	47.5	49.5	51.5	53.5	55.5	57.5
Chest	114	120	126	132	138	144
Waist	116	122	128	134	140	146

Longer continuous run time on a single full battery charge

Model No.	Battery holder	Li-ion Battery	Continuous run time Low / Medium / High	Net weight Jacket size L	Pockets
■ DCJ205			35 / 14 / 8.5 h with BL1860B	1.1kg (2.5 lbs.)	5
■ DCJ206					
■ DCV202				0.5kg (1.1 lbs.)	4
■ CJ105D			14 / 5.5 / 3.5 h with BL1041B	1.1kg (2.5 lbs.)	5
■ CJ106D					
■ CV102D				0.5kg (1.1 lbs.)	4

The weight may differ depending on the attachment(s), including the battery cartridge. The lightest and heaviest combination, according to EPTA-Procedure 01/2014, are shown in the table. Items of standard equipment and specifications may vary by country or area.

Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 201809



Cordless Heated Jacket Series

DCJ205 / DCJ206 / DCV202 **LXT**
CJ105D / CJ106D / CV102D **CXT**



HEATED JACKET and VEST

DCJ205 / CJ105D

DCJ206 / CJ106D

DCV202 / CV102D



HEATED JACKET and VEST



Max run time

7.0 h

Mode : High

Battery : BL1850B

Jacket type
DCJ205 / CJ105D



High-visibility type
DCJ206 / CJ106D



Features



Battery pocket

■ DCJ205 / CJ105D
■ DCJ206 / CJ106D
■ DCV202 / CV102D



Two-way zip fastener

■ DCJ205 / CJ105D
■ DCJ206 / CJ106D
■ DCV202 / CV102D



Pen pocket

■ DCJ205 / CJ105D




Detachable hood


■ DCJ206 / CJ106D

Heating effects

When wearing in a minus 5 degree C environment (in High mode)




when switch is off



about 15 minutes after switch-on

3 Heat settings

Continuous runtime on a single full battery charge



Low



29h

Medium



11h

High



7h

with BL1850 (18V-5.0Ah Battery)

5 Heat zones

■ DCJ205 / CJ105D ■ DCJ206 / CJ106D

Left chest, right chest and back have each heating element.



4 Heat zones

■ DCV202 / CV102D

Left chest, right chest and back, neck have each heating element.




Wind and Water Resistance

prevents penetration of water such as light rain.



Fleece lining
warms a body even when switch is off



Vest type DCV202 / CV102D



Washable and dryable

Detach the battery holder from the jacket or vest before washing.



Name tag holder
■ DCJ206 / CJ106D



Retroreflective material
■ DCJ206 / CJ106D