

40V Max Brushless Blower



HEAVY DUTY BRUSHLESS



UB002G



МАГАЗИН
БАШ

ПРОФЕССИОНАЛ

40V Max Brushless Blower


The 40V Max Blower has been designed for powerful and efficient clean-up and clearing, providing heavy duty power with 356km/h of max. air velocity.

The 3-stage air volume setting with variable speed control allows you to set your desired volume/speed for precise applications. The lightweight design at only 2.3kg (with BL4040) enhances manoeuvrability making UB002G extremely comfortable to use for long periods, minimizing use fatigue.

The UB002G was designed with highly durable XPT technology for increase protection against water and dust. With the added continuous runtime of up to 2 hours (2.5Ah battery) making it ideal for demanding job sites and extended use without frequent recharging



Product Overview



Product Specifications



Max. air volume	3.5m ³ /min
Max. air velocity	356.4km/h
Blowing force	3.1N
Max. sealed suction	5.4kPa
No load speed	0 – 18,000rpm
Overall length	860mm
Skin weight	1.3kg
Weight (with battery)	2.3kg (BL4040)
Voltage	40V Max

- **3- stage volume setting** – allows precise control of airflow, optimizing performance for different tasks and extending battery life
- **Ø40mm Air Outlet Diameter** - provides strong, focused airflow for efficient debris clearing and improved performance.
- **Standard Nozzle** - UB002G comes standard with an extension nozzle.
- **Variable Speed Trigger**– provides the ability for the user to set the right speed for the job at hand without needing to engage the trigger for the duration of use.
- **Lightweight Design** – weighing 2.3kg with a battery minimizes user fatigue allowing it to be used comfortably for longer periods.
- **Enlarged Suction Inlet** – Air volume is enhanced through improve design, enlarging suction inlet
- **Vacuum Function** – allows for easy debris collection, reducing cleanup time and increasing versatility.
- **XPT (Extreme Protection Technology)** - enhances durability by providing increased resistance to water and dust, making tools more reliable in harsh job site conditions.

Advantages



PERFORMANCE

Delivers Max. air velocity of 356.4 km/h and 3.5 m³/min for optimal airflow



PRECISION

3- stage air volume setting with variable speed control for precise applications



CONTROL

Lightweight 2.0kg build enhances manoeuvrability, minimising user fatigue

VACUUM

VACUUM FUNCTION

The 40Vmax XGT Cordless Variable 3-Speed Blower offers a vacuum function with a dust bag*, enhancing its versatility for efficient cleaning.



Enlarged suction inlet
for enhanced air volume

*optional dust bag accessory

Our Range

	NEW – UB002G	UB001G	DUB185
	 <p>40V Max Brushless Blower</p>	 <p>40V Max Brushless Blower</p>	 <p>18V Blower</p>
Max. air volume	3.5m ³ /min	0-16m ³ /min - Boost 0-13.8m ³ /min - Normal	3.2m ³ /min
Max. air velocity	356.4km/h	230km/h - Boost 190km/h - Normal	352km/h
Blowing force	3.1N		3.1N
Max. sealed suction	5.4kPa		
No load speed	0 – 18,000rpm	Boost: 23,000rpm Normal: 0-20,000rpm	0 – 18,000rpm
Overall length	515mm	1,043mm	517mm
Skin weight	1.3kg	2.4kg	1.5kg
Weight (with battery)	2.3kg (BL4040)	3.9kg (BL4050F)	2.1kg
Voltage	40V Max	40V Max	18V

Standard Accessories



123245-4

Nozzle assembly

Optional Accessories



191G09-6

Long Nozzle assembly



МАГАЗИН
БАШ МАЙСТОР
ПРОФЕСИОНАЛНИ РЕШЕНИЯ