

**LXT** | **18V**

## LIGHTWEIGHT PRUNING

**DUP181**

COST EFFECTIVE BRUSHLESS PRUNING SHEARS

UP TO **2,400**  
CUTS PER  
**BATTERY**  
WITH BL1820B

**30MM**  
MAX CUTTING  
DIAMETER

**4-STAGE**  
ADJUSTABLE  
OPENING ANGLES  
FOR MAXIMUM EFFICIENCY





# PRUNING SHEARS RANGE

LXT 18V | 36V

UP100D

DUP181

DUP180

DUP362



MAX CUTTING CAPACITY

Ø25mm

Ø30mm

Ø30mm

Ø33mm

CUTTING SPEED

0.4 Sec

0.34 Sec

0.3 Sec

0.4 Sec

FULLY OPEN TO FULLY CLOSED

CUTS PER BATTERY

BL1021B: 2,200

BL1820B: 2,400

BL1820B: 2,666

BL1820B x2: 28,400

APPROX. ON Ø15 BRANCH

WEIGHT (SKIN)

0.68kg

0.76kg

0.68kg

0.82kg

WEIGHT (WITH BATTERY)

BL1021B: 0.89kg

BL1820B: 1.1kg

BL1820B: 0.89kg

BL1820B x2 + Harness: 3.36kg

DIMENSIONS (LxWxH)

With BL1021B:  
308mm x 64mm x 98mm

With BL1820B:  
300mm x 75mm x 113mm

Without Battery Adapter:  
296mm x 40mm x 99mm

Without Battery Adapter:  
305mm x 43mm x 106mm

GRIP CIRCUMFERENCE

125mm

125mm

120mm

120mm

MORE VERSATILITY

TRADE DRIVEN • TRUSTED INVESTMENT

EXPERIENCE MORE™

## SPECIFICATIONS

<b>MAX CUTTING CAPACITY</b>	30mm
<b>CUTTING SPEED</b>	0.34 Sec
FULLY OPEN TO FULLY CLOSED	
<b>CUTS PER BATTERY</b>	BL1820B: 2,400
<b>WEIGHT (SKIN)</b>	0.76kg
<b>WEIGHT (WITH BATTERY)</b>	BL1820B: 1.1kg
<b>DIMENSIONS (LxWxH)</b>	With BL1820B: 300mm x 75mm x 113mm
<b>GRIP CIRCUMFERENCE</b>	125mm

## HIGHLIGHTS



### EXTERNAL BLADE LUBRICATION

Features an external oil port that allows the blades to be lubricated without disassembly.




### LED INDICATOR

Mounted on the front of the body allowing the tools' status to be monitored with ease.



### ERGONOMICS

Features a narrow 125mm grip circumference to reduce user fatigue over a long working period.



### ADJUSTABLE BLADE ANGLE

Features 4-stage diameter settings to customize blade opening width for different cutting diameters.

## FEATURES

**LIGHTWEIGHT:** Only 1.1kg with a 2.0Ah battery, mounted directly on the tool for improved maneuverability.

**HIGH CAPACITY:** Maximum branch diameter of Ø30mm for versatile pruning applications.

**BRUSHLESS MOTOR:** The brushless motor offers up to 2,400 cuts (Ø15mm branch) with a 2.0Ah battery (results may vary, test conducted on Ø15mm cypress).



### STANDARD ACCESSORIES

1412W2-1

BLADE COVER



783202-0

HEX WRENCH 4MM



783208-8

HEX WRENCH 2.5MM



782212-4

SOCKET WRENCH 13MM



### OPTIONAL ACCESSORIES

1916B3-6

LONG HANDLE ATTACHMENT



1916M8-3

REPLACEMENT SHEAR BLADES



## DUP181Z



### INCLUDES:

- DUP181Z – Brushless Pruning Shears
- 1412W2-1 – Blade Cover
- 782212-4 – Socket Wrench 13mm
- 783208-8 – Hex Wrench 2.5mm
- 783202-0 – Hex Wrench 4mm

## DUP181SF



### INCLUDES:

- DUP181Z – Brushless Pruning Shears
- 1412W2-1 – Blade Cover
- 782212-4 – Socket Wrench 13mm
- 783208-8 – Hex Wrench 2.5mm
- 783202-0 – Hex Wrench 4mm

BL1830B – 18V LXT 3.0Ah Battery

DC18SD – 18V LXT Single Port Charger