



Cordless Cooler & Warmer Box CW002G / CW001G / CW003G



XGT
40V **Li-ion**
max

18V
LITHIUM-ION

-18°C ~ 60°C [**0°F ~ 140°F**]

Keep cold, Keep hot



CW002G

Capacity 50 L

CW001G

Capacity 20 L

CW003G

Capacity 7 L

XGT
40V^{max} Li-ion

18V
LITHIUM-ION

-18°C ~ 60°C
[**0°F ~ 140°F**]

More detailed inside temperature settings

Cool storage

seven inside temperature settings

-18°C ~ 10°C [0°F ~ 50°F]



Hot storage

seven inside temperature settings

30°C ~ 60°C [85°F ~ 140°F]



-18°C Cold
[0°F]

-10°C Cold
[15°F]

5°C Cool
[40°F]

30°C Warm
[85°F]

Freeze the ice pack

Cool the drink

Warm the caulk tube

Caulk tubes to be warmed must be brand new and unopened. Also caulk tubes must be stored in the box within the storage temperature range recommended by the manufacturer of caulk tubes.*

*Do not store opened caulk tubes with foods because they produce volatile gas.

Compatible with 4 power sources

1. 40V^{max} XGT battery
(two in parallel or one*)



2. 18V LXT battery
(two in parallel or one*)



3. AC (through AC adapter)

4. 12V/24V DC (cigar socket)


*Also can be powered by the combination of one XGT battery and one LXT battery. (CW002G/CW001G only)



CW002G

The large capacity of 50L, which can be used by multiple persons, enables to keep a lot of items cold or hot.

50L
(13.2gal)



About 15 x 2L PET bottles can be stored vertically.

Work amount on full battery charge

with two BL4040 batteries

-18°C [0°F]
about
8 h

5°C [40°F]
about
19.5 h

60°C [140°F]
about
4.5 h



1/4 LXT battery port
2/3 XGT battery port

Carry handle on both sides

Compact yet highly rigid due to retractable aluminum design.




Inner tray



Enables to make the most of the inside top space of the box to store small items.

Top cover with damper function



Softly closes to minimize the chance of injury even if you release your hand.

Drain cock



When cleaning the storage box, open the cap to drain water from the box.

Drag handle that can be locked at 90°



For easier transportation on casters.

The same features and benefits as those of CW001G/CW003G

IPX4-rated water resistance



USB output port



Bottle opener




Indication lamps



CW001G

20L
(5.3gal)



Able to store up to four 2L plastic bottles or twenty 500mL plastic bottles.

Work amount on full battery charge

with two BL4040 batteries

-18°C [0°F]
about
8 h

5°C [40°F]
about
22.5 h

60°C [140°F]
about
7 h



1/4 LXT battery port
2/3 XGT battery port

Shoulder belt



Carrying handle



Carry handle on both sides



CW003G

Compact design

Convenient size for one to several people.

7L
(1.8gal)



Able to store six 500mL plastic bottles vertically (up to 220mm in height).

Work amount on full battery charge

with BL4040 batteries

-18°C [0°F]
about
5.5 h

5°C [40°F]
about
13.5 h

60°C [140°F]
about
5.5 h



1 LXT battery port
2 XGT battery port

U-shaped carry handle



By attaching optional Shoulder belt, you can also hang this box on your shoulder.



Comfort/Lifestyle

Cordless Radio with Lantern

MR010G

40V max

DMR055

18V

XPT



Job Site Radio

MR002G

40V max

18V

12V max



LED Flashlight

ML001G

40V max

DML815

18V



Cordless LED Worklight

ML002G

40V max

DML807

18V



Cordless LED Worklight

ML006G

40V max

DML816X

18V



ML007G

40V max

DML812

18V



Cordless Fan

CF001G

40V max

DCF203

18V



Cordless Fan

CF002G

40V max

DCF301

18V



Cordless Kettle

KT001G

40V max

DKT360

18V x2



Cordless Coffee Maker

DCM501

18V

12V max



Accessories

AC adapter



Charging Time

	Fast Charging			Fast Charging		
	DC40RA	DC40RC		DC18RC	DC18RD	DC18SD
BL4020 2.0Ah	22 min	30 min	BL1815N 1.5Ah	15 min	30 min	
BL4025 2.5Ah	28 min	38 min	BL1820B 2.0Ah	24 min	45 min	
BL4040 4.0Ah	45 min	67 min	BL1830B 3.0Ah	22 min	60 min	
BL4050F 5.0Ah	50 min	85 min	BL1840B 4.0Ah	36 min	90 min	
BL4080F 8.0Ah	76 min	170 min	BL1850B 5.0Ah	45 min	110 min	
			BL1860B 6.0Ah	55 min	130 min	

Cordless Cooler & Warmer Box

CW002GZ01 / CW001GZ01 / CW003GZ01

	CW002GZ01	CW001GZ01	CW003GZ01
Capacity	50L	20L	7L
Cooling system	Compressor	Compressor	Compressor
Cooling Capacity	-18 / -15 / -10 / -5 / 0 / 5 / 10°C	-18 / -15 / -10 / -5 / 0 / 5 / 10°C	-18 / -15 / -10 / -5 / 0 / 5 / 10°C
Warming system	Heater	Heater	Heater
Warming Capacity	30 / 35 / 40 / 45 / 50 / 55 / 60°C	30 / 35 / 40 / 45 / 50 / 55 / 60°C	30 / 35 / 40 / 45 / 50 / 55 / 60°C
Run Time (hrs)	w/ BLBL4040 X2, -18 / 5 / 60°C: 8 / 19.5 / 4.5	w/ BLBL4040 X2, -18 / 5 / 60°C: 8 / 22.5 / 7	w/ BLBL4040, -18 / 5 / 60°C: 5.5 / 13.5 / 5.5
Cord Length	AC Adapter / Cigar Socket Cable: 2 / 2.5 m	AC Adapter / Cigar Socket Cable: 2 / 2.5 m	AC Adapter / Cigar Socket Cable: 2 / 2.5 m
Dimensions (L x W x H)	867 x 465 x 476 mm	663 x 341 x 372 mm	456 x 245 x 308 mm
Net weight	25.6 - 29.0 kg	13.8 - 17.3 kg	7.9 - 9.4 kg

CW002GZ01: No battery, charger

CW001GZ01: No battery, charger

CW003GZ01: No battery, charger

Standard Equipment : Shoulder Belt (A-71093)(CW001G / CW003G), AC Adapter (WL00000058)(CW001G / CW003G)/(WL00000313)(CW002G), cigar lighter dc 12-24v (WL00000002)(CW001G / CW002G / CW003G)

Not covered by EPTA-Procedure Items of standard equipment and specifications may vary by country or area.

CÔNG TY TNHH MAKITA VIỆT NAM

Kho 4-5-6, Block 16, 18L1-2 Đường số 3, KCN VSPP, P. Hòa Phú, Thủ Đức, Bình Dương
ĐT: 0274 362 8338 - Fax: 0274 362 8339 - Website: www.makita.com.vn

CHI NHÁNH CTY TNHH MAKITA VN TẠI MIỀN BẮC
Khu 5, Số 1, Đường Số 6, KCN - DT - DV VSPP Bắc Ninh, X. Phú Châu,
TX. Từ Sơn, T. Bắc Ninh.
ĐT: 0222 376 5942 Fax: 0222 376 5941

TRUNG TÂM DỊCH VỤ KHÁCH HÀNG CHI NHÁNH HÀ NỘI
65 Trường Chinh, P. Phương Liệt, Q. Thanh Xuân, TP. Hà Nội.
ĐT: 0243 202 2585

TRUNG TÂM DỊCH VỤ KHÁCH HÀNG CHI NHÁNH ĐÀ NẴNG
102 Triều Nữ Vương, P. Hải Châu 2, Q. Hải Châu, TP. Đà Nẵng.
ĐT: 0236 352 5079 / 0236 352 5179 Fax: 0236 352 5479

TRUNG TÂM DỊCH VỤ KHÁCH HÀNG CHI NHÁNH CẦN THƠ
366 Võ Văn Kiệt, Khu Vực 5, P. An Thới, Q. Bình Thủy, TP. Cần Thơ.
ĐT: 0292 389 4358 Fax: 0292 389 4359

TRUNG TÂM DỊCH VỤ KHÁCH HÀNG CHI NHÁNH BÙN MÀ THUỘT
89 Lê Đức Thọ, P. Thới Mỹ, TP. Thuận An, TP. Thuận An, Bình Dương.
ĐT: 0292 355 4556 Fax: 0292 355 4557

TRUNG TÂM DỊCH VỤ KHÁCH HÀNG CHI NHÁNH HẢI PHÒNG
Số 01 Lê Ông, Dị an Hoàng Huy Riverside, P. Thượng Lý, Q. Hồng Bàng, TP. Hải Phòng.
ĐT: 0225 883 1529

TRUNG TÂM DỊCH VỤ KHÁCH HÀNG CHI NHÁNH NHÀ TRANG
Lô 36 - 38 đường B6, Khu đô thị Vĩnh Diêm Trung, Xã Vĩnh Ngọc, TP. Nhà Trang, T. Khánh Hòa
ĐT: 0259 220 0039

TRUNG TÂM DỊCH VỤ KHÁCH HÀNG CHI NHÁNH HỒ CHÍ MINH
Số 12 Trịnh Văn Quán, P. Cầu Ông Lãnh, Q. 1, TP. Hồ Chí Minh.
ĐT: 0283 821 5191