

ZIRCONIUM ABRASIVE DISCS AND DISC WITH DIAMOND SEGMENTS




274CV100G24 274CV100G40 274CV100G60 274CV100G80
274CV100G100 274CV100G120



250PSDA



250P24G



250P24R

- The zirconium abrasive discs Ø 115 mm (4 1/2") must be used only with planetary (free floating or geared).
- The zirconium abrasive discs Ø 115 mm (4 1/2") allow the finishing / polishing of parquet, wood flooring, cement, marble, etc...
- The disc with diamond segments allows to remove, roughen, scarifying of cement, marble, granite, etc..
- The disc with diamond segments allows to remove hard adhesives.
- Diamond segment are replaceable.

ZIRCONIUM ABRASIVE DISCS WITH VELCRO ATTACHMENT

Part No.			Description					
274CV100G24	8024648015617	24	Zirconium abrasive discs with Velcro attachment	115 mm - 4 1/2"	24	10x10xh 5 cm	4"x4"xh 2"	0,5 Kg 16.9 oz
274CV100G40	8024648015624	24	Zirconium abrasive discs with Velcro attachment	115 mm - 4 1/2"	40	10x10xh 5 cm	4"x4"xh 2"	0,5 Kg 16.9 oz
274CV100G60	8024648015631	24	Zirconium abrasive discs with Velcro attachment	115 mm - 4 1/2"	60	10x10xh 5 cm	4"x4"xh 2"	0,4 Kg 13.2 oz
274CV100G80	8024648015648	24	Zirconium abrasive discs with Velcro attachment	115 mm - 4 1/2"	80	10x10xh 5 cm	4"x4"xh 2"	0,4 Kg 13.2 oz
274CV100G100	8024648015938	24	Zirconium abrasive discs with Velcro attachment	115 mm - 4 1/2"	100	10x10xh 5 cm	4"x4"xh 2"	0,3 Kg 10.1 oz
274CV100G120	8024648015655	24	Zirconium abrasive discs with Velcro attachment	115 mm - 4 1/2"	120	10x10xh 5 cm	4"x4"xh 2"	0,3 Kg 10.1 oz

DISC HOLDER FOR DIAMOND SEGMENTS

Part No.			Description					
250PSDA	8024648060259	1	Disc holder for diamond segments (segments not included)	530 mm 21"	6,2 Kg 13.7 lbs	53x53xh 10 cm	21"x21"xh 4"	7,2 Kg 15.8 lbs

DIAMOND SEGMENTS

Diamond Segments								
Part No.			Description		Applications			
250P24G	8024648060266	12	Diamond segment 12x40xh8mm	24	For roughing, removing cement	12x12xh 7 cm	4 3/4"x4 3/4"xh 2 3/4"	2,5 Kg 5.5 lbs
250P48R	8024648060754	12	Diamond segment 12x40xh8mm	48	For roughing, removing cement	12x12xh 7 cm	4 3/4"x4 3/4"xh 2 3/4"	2,5 Kg 5.5 lbs

TOOLS/MACHINES COMBINATIONS

Part No.	Description	IPERTITINA PLUS	IPERTITINA	MAXITITINA	SUPERTITINA	MICROTTITINA
274CV100G24	Zirconium abrasive discs Ø 115 mm (4 1/2") with Velcro attachment – grain 24	•	•	-	-	•
274CV100G40	Zirconium abrasive discs Ø 115 mm (4 1/2") with Velcro attachment – grain 40	•	•	-	-	•
274CV100G60	Zirconium abrasive discs Ø 115 mm (4 1/2") with Velcro attachment – grain 60	•	•	-	-	•
274CV100G80	Zirconium abrasive discs Ø 115 mm (4 1/2") with Velcro attachment – grain 80	•	•	-	-	•
274CV100G100	Zirconium abrasive discs Ø 115 mm (4 1/2") with Velcro attachment – grain 100	•	•	-	-	•
274CV100G120	Zirconium abrasive discs Ø 115 mm (4 1/2") with Velcro attachment – grain 120	•	•	-	-	•
250PSDA	Disc holder for diamond segments (segments not included) Ø 530 mm (21")	•	•	•	-	-
250P24G	Diamond segment 12x40xh8mm (1/2"x1 1/2"xh 3/8") – grain 24 (for cement)	•	•	•	-	-
250P48R	Diamond segment 12x40xh8mm (1/2"x1 1/2"xh 3/8") – grain 48 (for cement)	•	•	•	-	-



- The metal-bounded and resin-bounded diamond pads are available in several grits and allow the polishing and refinishing of marble, granite, terrazzo, "venetian" floors, cement, etc. . .
- The metal-bounded diamond pads (with diamond segments) allow the roughing / grinding

of porcelain tiles, marble, granite, cement, etc. . .

- Changing the satellite tools is quick, easy and safe thanks to the "magnetic" attachments.
- Diamond pads must be used with the geared planetary only (3 or 6 satellites).

METAL-BOUNDED DIAMOND PADS WITH MAGNETIC ATTACHMENT

Part No.			Description				
274DG040/050	8024648056832	3	Metal-bounded diam. pads - mag. att.	115 mm 4 1/2"	40/50	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,7 Kg 3.7 lbs
274DG100/120	8024648056849	3	Metal-bounded diam. pads - mag. att.	115 mm 4 1/2"	100/120	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,7 Kg 3.7 lbs
274DM040/050	8024648056979	3	Metal-bounded diam. pads - mag. att.	115 mm 4 1/2"	40/50	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,7 Kg 3.7 lbs
274DM100/120	8024648057976	3	Metal-bounded diam. pads - mag. att.	115 mm 4 1/2"	100/120	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,7 Kg 3.7 lbs
274DC040/050	8024648056818	3	Metal-bounded diam. pads - mag. att.	115 mm 4 1/2"	40/50	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,7 Kg 3.7 lbs
274DC100/120	8024648056825	3	Metal-bounded diam. pads - mag. att.	115 mm 4 1/2"	100/120	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,7 Kg 3.7 lbs

RESIN-BOUNDED DIAMOND PADS CR TYPE WITH MAGNETIC ATTACHMENT

Part No.			Description				
274DTCR0030	8024648057570	3	Resin-bounded diam. pads - mag. att. CR	115 mm 4 1/2"	30	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs
274DTCR0075	8024648057587	3	Resin-bounded diam. pads - mag. att. CR	115 mm 4 1/2"	75	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs
274DTCR0150	8024648057594	3	Resin-bounded diam. pads - mag. att. CR	115 mm 4 1/2"	150	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs

RESIN-BOUNDED DIAMOND PADS EPK TYPE WITH MAGNETIC ATTACHMENT

Part No.			Description				
274DTPK0050	8024648057600	3	Resin-bounded diam. pads - mag. att. EPK	115 mm 4 1/2"	50	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs
274DTPK0120	8024648057617	3	Resin-bounded diam. pads - mag. att. EPK	115 mm 4 1/2"	120	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs
274DTPK0220	8024648057624	3	Resin-bounded diam. pads - mag. att. EPK	115 mm 4 1/2"	220	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs
274DTPK0400	8024648057631	3	Resin-bounded diam. pads - mag. att. EPK	115 mm 4 1/2"	400	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs
274DTPK0600	8024648057648	3	Resin-bounded diam. pads - mag. att. EPK	115 mm 4 1/2"	600	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs
274DTPK0800	8024648057655	3	Resin-bounded diam. pads - mag. att. EPK	115 mm 4 1/2"	800	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs
274DTPK1800	8024648057662	3	Resin-bounded diam. pads - mag. att. EPK	115 mm 4 1/2"	1800	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs
274DTPK3500	8024648057679	3	Resin-bounded diam. pads - mag. att. EPK	115 mm 4 1/2"	3500	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs

RESIN-BOUNDED DIAMOND PADS EPR TYPE WITH MAGNETIC ATTACHMENT

Part No.			Description				
274DTPR0030	8024648057686	3	Resin-bounded diam. pads - mag. att. EPR	115 mm 4 1/2"	30	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs
274DTPR0080	8024648057693	3	Resin-bounded diam. pads - mag. att. EPR	115 mm 4 1/2"	80	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs
274DTPR0180	8024648057709	3	Resin-bounded diam. pads - mag. att. EPR	115 mm 4 1/2"	180	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs
274DTPR0600	8024648057716	3	Resin-bounded diam. pads - mag. att. EPR	115 mm 4 1/2"	600	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs
274DTPR1800	8024648057723	3	Resin-bounded diam. pads - mag. att. EPR	115 mm 4 1/2"	800	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs

LIQUIDS AND POWDERS

Part No.			Description		
130CRISTB5LT	8024648074676	1	Crystallizing liquid for marble and cement (tank capacity liters 5 / 1.32 gal)	35x27xh 31 cm 13 3/4"x10 5/8"xh 12 1/4"	6,5 Kg 14.3 lbs
130CRISTPG	8024648057952	1	Polishing powder for granite (bucket capacity 5 Kg / 11 lbs)	26x26x h 26 cm 10"x10"xh 10"	5,8 Kg 12.8 lbs
130CRISTPM	8024648057969	1	Polishing powder for marble and cement (bucket capacity 5 Kg / 11 lbs)	26x26x h 26 cm 10"x10"xh 10"	5,8 Kg 12.8 lbs
130IND A5LT	8024648086914	1	Hardener liquid for cement (tank capacity liters 5 lt / 1.32 gal)	35x27xh 31 cm 13 3/4"x10 5/8"xh 12 1/4"	6,5 Kg 14.3 lbs

SUGGESTED SEQUENCES FOR POLISHING

GRANITE (WET TREATMENT ONLY)

ROUGHING		POLISHING								FINISHING
274DG040/050	274DG100/120	274DTCR0030	274DTPK0075	274DTCR0150	274DTPR0180	274DTPK0220	274DTPK0400	274DTPK0800	274DTPK1800	130CRISTPG
40/50	100/120	30	75	150	180	220	400	800	1800	POWDER

MARBLE (WET TREATMENT ONLY)

ROUGHING		POLISHING								FINISHING
274DM040/050	274DM100/120	274DTPK0050	274DTPK0120	274DTPK0400	274DTPK0800	274DTPK1800	274DTPK3500	-	-	130CRISTB
40/50	100/120	50	120	400	800	1800▼	3500▼	-	-	LIQUID

▼These grains are recommended for dark marbles only.

TERRAZZO/AGGLOMERATES (WET TREATMENT)

ROUGHING		POLISHING I° STEP				POLISHING II° STEP				CRYSTALLIZATION
274DC040/050	274DC100/120	274DTPR0030	274DTPR0080	274DTPR0180	130IND A	274DTPK0220	274DTPK0600	274DTPK1800	274DTPK3500	130CRISTB
40/50	100/120	30	80	180	HARDENER	220	600	1800	3500▼	LIQUID

▼These grains are recommended for dark materials only.

TERRAZZO/AGGLOMERATES (DRY TREATMENT)

ROUGHING		POLISHING I° STEP				POLISHING II° STEP				CRYSTALLIZATION
274DC040/050	274DC100/120	274DTPR0030	274DTPR0080	274DTPR0180	130IND A	274DTPR0600	274DTPR1800	-	-	130CRISTB
40/50	100/120	30	80	180	HARDENER	600	1800	-	-	LIQUID

CEMENT LAYERED WITH QUARTZ (WET TREATMENT)

ROUGHING		POLISHING I° STEP			POLISHING II° STEP					CRYSTALLIZATION
-	-	274DTPR0080	274DTPR0180	130IND A	274DTPK0600	274DTPK1800	-	-	-	130CRISTB
-	-	80	180	HARDENER	600	1800	-	-	-	LIQUID

CEMENT LAYERED WITH QUARTZ (DRY TREATMENT)



ROUGHING		POLISHING I° STEP			POLISHING II° STEP					CRYSTALLIZATION
-	-	274DTPR0080	274DTPR0180	130IND A	274DTPR0600	274DTPR1800	-	-	-	130CRISTB
-	-	80	180	HARDENER	600	1800	-	-	-	LIQUID

CEMENT (WET TREATMENT)

ROUGHING		POLISHING I° STEP				POLISHING II° STEP				CRYSTALLIZATION
274DC040/050	274DC100/120	274DTPR0030	274DTPR0080	274DTPR0180	130IND A	274DTPK0600	274DTPK1800	274DTPK3500	-	130CRISTB
40/50	100/120	30	80	180	HARDENER	600	1800	3500	-	LIQUID

CEMENT (DRY TREATMENT)

ROUGHING		POLISHING I° STEP				POLISHING II° STEP				CRYSTALLIZATION
274DC040/050	274DC100/120	274DTPR0030	274DTPR0080	274DTPR0180	130IND A	274DTPR0600	274DTPR1800	-	-	130CRISTB
40/50	100/120	30	80	180	HARDENER	600	1800	-	-	LIQUID



BRUSHES

MADE
IN
ITALY



335A 207A 165A
335B 207B 165B
207C 165C



335TINEX 207TINEX 165TINEX



337 209 166



338 208 228

PACKAGE



CARTON BOX

BRUSHES

Part No.			Description			
335A	8024648015754	1	Stiff nylon brush (bristle 080)	3,6 Kg 8 lbs	47x47xh 9 cm 18"x18"xh 3 1/2"	3,9 Kg 8.6 lbs
335B	8024648015761	1	Medium nylon brush (bristle 065)	3,8 Kg 8.4 lbs		4,1 Kg 9 lbs
207A	8024648002518	1	Stiff nylon brush (bristle 080)	3 Kg 6.6 lbs		3,3 Kg 7.3 lbs
207B	8024648002525	1	Medium nylon brush (bristle 065)	3,2 Kg 7 lbs		3,6 Kg 8 lbs
207C	8024648002532	1	Soft nylon brush (bristle 025)	3,6 Kg 8 lbs		3,9 Kg 8.6 lbs
165A	8024648002549	1	Stiff nylon brush (bristle 080)	2,1 Kg 4.6 lbs		2,4 Kg 5.3 lbs
165B	8024648002556	1	Medium nylon brush (bristle 065)	2,4 Kg 5.3 lbs		2,7 Kg 6 lbs
165C	8024648002563	1	Soft nylon brush (bristle 025)	2,7 Kg 6 lbs		3 Kg 6.6 lbs
335TINEX	8024648015785	1	Brush with abrasive bristles (bristle 1,5)	3,8 Kg 8.4 lbs		4,1 Kg 9 lbs
207TINEX	8024648002631	1	Brush with abrasive bristles (bristle 050)	2,9 Kg 6.4 lbs		3,2 Kg 7 lbs
165TINEX	8024648002648	1	Brush with abrasive bristles (bristle 050)	2,5 Kg 5.5 lbs		2,8 Kg 6.2 lbs
337	8024648015792	1	Brass coated, steel-wire brush	4,3 Kg 9.5 lbs		4,7 Kg 10.4 lbs
209	8024648002693	1		3,5 Kg 7.7 lbs		3,8 Kg 8.4 lbs
166	8024648002709	1		3,1 Kg 6.8 lbs		3,4 Kg 7.5 lbs
338	8024648015808	1	Brush with vegetable fiber bristles	3,8 Kg 8.4 lbs		4,1 Kg 9 lbs
208	8024648002655	1		3,1 Kg 6.8 lbs		3,4 Kg 7.5 lbs
228	8024648002662	1		2,4 Kg 5.3 lbs		2,7 Kg 6 lbs

Part No.	Applications		MACHINE	Part No.	Applications		MACHINE
335A	For general cleaning	480 mm 19"	IPERTITINA	335TINEX	For intensive, abrasive cleaning and also for creating an aged look in terracotta	480 mm 19"	IPERTITINA PLUS, IPERTITINA
335B				207TINEX		450 mm 17 3/4"	MAXITITINA
335C				165TINEX		430 mm 17"	SUPERTITINA
207A				337		480 mm 19"	IPERTITINA PLUS, IPERTITINA
207B		450 mm 17 3/4"	MAXITITINA	209	For intensive cleaning	450 mm 17 3/4"	MAXITITINA
207C				166		430 mm 17"	SUPERTITINA
165A				338		480 mm 19"	IPERTITINA PLUS, IPERTITINA
165B		430 mm 17"	SUPERTITINA	208	For waxing	450 mm 17 3/4"	MAXITITINA
165C				228		430 mm 17"	SUPERTITINA



RAIMONDI



339VELCRO
213VELCRO
168VELCRO



339PELO
213PELO
168PELO



340N
248N
170N

340V
248V
170V

340B
248B
170B



CARTON BOX



DISC HOLDERS AND FELT DISCS

Part No.			Description				
339VELCRO	8024648015815	1	Disc holder for felt and sponge discs with Velcro	3,1 Kg	6.8 lbs		3,5 Kg 7.7 lbs
339PELO	8024648015822	1	Disc holder for felt and sponge discs with points	2,6 Kg	5.7 lbs		2,9 Kg 6.4 lbs
213VELCRO	8024648002730	1	Disc holder for felt and sponge discs with Velcro	2,5 Kg	5.5 lbs	47x47xh 10 cm	2,8 Kg 6.2 lbs
213PELO	8024648007193	1	Disc holder for felt and sponge discs with points	2,4 Kg	5.3 lbs	18"x18"xh 4"	2,7 Kg 6 lbs
168PELO	8024648007209	1	Disc holder for felt and sponge discs with points	1,9 Kg	4.2 lbs		2,2 Kg 4.9 lbs
340N	8024648015839	5	Black felt disc (high abrasiveness)	360 gr	12.7 oz	53x53xh 10 cm	2,8 Kg 6.2 lbs
340V	8024648015853	5	Green felt disc (medium abrasiveness)	270 gr	9.5 oz	21"x21"xh 4"	2,4 Kg 5.3 lbs
340B	8024648015846	5	White felt disc (low abrasiveness)	150 gr	5.3 oz		1,8 Kg 4 lbs
248N	8024648002778	5	Black felt disc (high abrasiveness)	340 gr	12 oz	47x47xh 10 cm	2 Kg 4.4 lbs
248V	8024648002785	5	Green felt disc (medium abrasiveness)	260 gr	9.2 oz	18"x18"xh 4"	1,6 Kg 3.5 lbs
248B	8024648002792	5	White felt disc (low abrasiveness)	140 gr	5 oz		1 Kg 2.2 lbs
170N	8024648002808	5	Black felt disc (high abrasiveness)	250 gr	8.8 oz	42x42xh 12 cm	1,5 Kg 3.3 lbs
170V	8024648002815	5	Green felt disc (medium abrasiveness)	200 gr	7 oz	16"x16"x h 4 3/4"	1,3 Kg 2.9 lbs
170B	8024648002822	5	White felt disc (low abrasiveness)	100 gr	3.5 oz		800 gr 28.2 oz

Part No.	Applications		MACHINE
339VELCRO	Disc holder for felt and sponge discs	460 mm	18 1/8"
339PELO		460 mm	18 1/8"
213VELCRO		430 mm	17"
213PELO		430 mm	17"
168VELCRO		380 mm	15"
168PELO		380 mm	15"
340N	Black felt for intensive cleaning	483 mm	19"
340V	Green felt for medium trouble cleaning		
340B	White felt to wax and polish		

Part No.	Applications		MACHINE
248N	Black felt for intensive cleaning	456 mm	18"
248V	Green felt for medium trouble cleaning		
248B	White felt to wax and polish	406 mm	16"
170N	Black felt for intensive cleaning		
170V	Green felt for medium trouble cleaning		
170B	White felt to wax and polish		




MADE
IN
ITALY


274RT490G100 274RT490G120 274RT490G150 274RT490G180
274RT460G100 274RT460G120 274RT460G150 274RT460G180
274RT410G100 274RT410G120 274RT410G150 274RT410G180



212
167



219SPUSWE
122SPUSWE



219SPUWEL
122SPUWEL



214
388

PACKAGE



CARTON BOX

DOUBLE FACE SILICON CARBIDE MESH

Part No.			Description						
274RT490G80	8024648017321	5	Double face silicon carbide mesh for floor finishing (wooden floor, etc.)	80	490 mm	19 1/4"	400 gr	14 oz	450 gr
274RT490G220	8024648017291	5		220					
274RT460G80	8024648017246	5		80	450 mm	17 3/4"	360 gr	13 oz	400 gr
274RT460G220	8024648017215	5		220					
274RT410G80	8024648017161	5	Grit 100/120/150/180 also available	80	406 mm	16"	350 gr	12 oz	360 gr
274RT410G220	8024648017130	5		220					

GROUTING PADDLE, SPONGE DISCS, STEEL DISCS

Part No.			Description						
212	8024648002914	1	Grouting paddle with non-abrasive rubber	5,6 Kg	12.4 lbs	50x50xh 10 cm	20"x20"xh 4"	5,9 Kg	13 lbs
167	8024648002921	1		4,4 Kg	9.7 lbs			4,7 Kg	10.4 lbs
272 8	8024648002945	1	Replacement rubber grouting blades, set of 8	1,7 Kg	3.8 lbs	25x15xh 10 cm	10"x6"xh 4"	1,8 Kg	4 lbs
219SPUWEL	8024648055774	5	Sponge disc with Velcro	200 gr	7 oz	47x47xh 25 cm	18"x18"xh 10"	1 Kg	2.2 lbs
219SPUSWE	8024648087607	5	Sweepex sponge disc with Velcro	200 gr	7 oz			1 Kg	2.2 lbs
122SPUWEL	8024648054241	5	Sponge disc with Velcro	160 gr	5.6 oz			800 gr	28.2 oz
219SPUSWE	8024648082770	5	Sweepex sponge disc with Velcro	160 gr	5.6 oz			800 gr	28.2 oz
214	8024648002983	1	Steel disc	6 Kg	13.2 lbs	68x66xh 10 cm	27"x26"xh 4"	7 Kg	15.4 lbs
388	8024648002976	1		4,5 Kg	9.9 lbs			5,2 Kg	11.5 lbs

Part No.	Applications		IPERTITINA PLUS	IPERTITINA	MAXITITINA	SUPERTITINA
212	For power grouting	500 mm 19 5/8"	•	•	•	—
167		420 mm 16 1/2"	—	—	—	•
219SPUWEL		460 mm 18 1/8"	—	—	•	•
219SPUSWE		460 mm 18 1/8"	—	—	•	•
122SPUWEL	Sponge disc to emulsify the residue of cement base grout after the grouting phase	410 mm 16"	—	—	•	•
219SPUSWE		410 mm 16"	—	—	•	•
214		600 mm 23 5/8"	•	•	•	•
388	For floating, smoothing of mortar base (mud beds)	510 mm 20"	•	•	•	•





279 490
279 450
279 400



27450G36
27450G100

27445G36
27445G100

27440G36
27440G100



27450W16
27450W24
27450W36

27445W16
27445W24
27445W36

27440W16
27440W24
27440W36



GR36



GR100



GR16



GR24



GR36

PACKAGE



CARTON BOX

BASE-PLATE (DISC HOLDER FOR ABRASIVE DISCS) AND DOUBLE FACE ABRASIVE DISCS

Part No.			Description					
279 490	8024648015877	1	Disc holder for abrasive discs & sanding discs	2,4 Kg	5.3 lbs	50x50xh 10 cm 20"x 20"xh 4"	2,7 Kg	6 lbs
279 450	8024648002990	1		2,2 Kg	4.9 lbs		2,5 Kg	5.5 lbs
279 400	8024648003003	1		1,8 Kg	4 lbs		2,1 Kg	4.6 lbs
27450G36	8024648015884	5	Double face abrasive disc made of silicon carbide	330 gr	11.7 oz	50x50xh 10 cm 20"x 20"xh 4"	1,9 Kg	4.2 lbs
27450G100	8024648015891	5		200 gr	7 oz		1,3 Kg	2,9 lbs
27445G36	8024648003027	5		300 gr	10.6 oz		1,8 Kg	4 lbs
27445G100	8024648008954	5	Grit 24/60/80/120 also available	180 gr	6.4 oz	50x50xh 10 cm 20"x 20"xh 4"	1,2 Kg	2.6 lbs
27440G36	8024648003041	5		280 gr	10 oz		1,5 Kg	3.3 lbs
27440G100	8024648003058	5		160 gr	5.7 oz		1,1 Kg	2.4 lbs
27450W16	8024648015907	2	Double face abrasive disc made of wolfram carbide	1,2 Kg	2.6 lbs	50x50xh 10 cm 20"x 20"xh 4"	2,7 Kg	6 lbs
27450W24	8024648015914	2		1,4 Kg	3 lbs		3,1 Kg	6,8 lbs
27450W36	8024648015921	2		1,3 Kg	2.9 lbs		2,9 Kg	6.4 lbs
27445W16	8024648008923	2		1,1 Kg	2.4 lbs		2,5 Kg	5.5 lbs
27445W24	8024648008947	2		1,3 Kg	2.9 lbs		2,9 Kg	6.4 lbs
27445W36	8024648008930	2		1,2 Kg	2.6 lbs		2,7 Kg	6 lbs
27440W16	8024648008893	2		950 gr	33.5 oz		2,2 Kg	4.9 lbs
27440W24	8024648008909	2		1 Kg	2.2 lbs		2,3 Kg	5 lbs
27440W36	8024648008916	2		700 ar	24.7 oz		1,7 Kg	3.8 lbs

Part No.	Applications			MACHINE	Part No.	Applications			MACHINE	
279 490	Disc holder for abrasive & sanding discs	490 mm	19 1/4"	-	IPERT. PLUS/IPERTITINA	27450W16 27450W24 27450W36 27445W16 27445W24 27445W36 27440W16 27440W24 27440W36	500 mm	20"	16	IPERTITINA PLUS IPERTITINA
279 450		450 mm	17 3/4"	-	MAXITITINA				24	
279 400		400 mm	15 3/4"	-	SUPERTITINA				36	
27450G36	For sanding and abrading applications & light surface preparation	500 mm	20"	36	IPERTITINA PLUS IPERTITINA	450 mm	17 3/4"	16	MAXITITINA	
27450G100				100				24		
27445G36		450 mm	17 3/4"	36	MAXITITINA			36		
27445G100				100		400 mm	15 3/4"	16	SUPERTITINA	
27440G36		400 mm	15 3/4"	36	SUPERTITINA			24		
27440G100				100				36		



ABRASIVE TOOLS

MADE
IN
E.U.



PACKAGE
CARTON BOX

DISC / GRINDSTONE HOLDER FOR ABRASIVE DISCS, CUPWHEELS, & CARBIDE PLATES

Part No.			Description						
250IPER	8024648015990	1	Blade with 5 silicon carbide abrasive grindstones grit 16	9,6 Kg	21.2 lbs	50x50xh 10 cm	20"x20"x h 4"	10 Kg	22 lbs
250	8024648003126	1	Blade with 5 silicon carbide abrasive grindstones grit 16	9,6 Kg	21.2 lbs			10 Kg	22 lbs
230	8024648003133	1	Blade with 3 silicon carbide abrasive grindstones grit 16	6,6 Kg	14.6 lbs			7 Kg	15.4 lbs
249IPER	8024648016010	1	Blade with 5 silicon carbide abrasive flap discs grit 16	7,3 Kg	16 lbs			7,6 Kg	17.7 lbs
249	8024648003157	1	Blade with 5 silicon carbide abrasive flap discs grit 16	7,3 Kg	16 lbs	50x50xh 10 cm	20"x20"x h 4"	7,6 Kg	17.7 lbs
229	8024648003164	1	Blade with 3 silicon carbide abrasive grindstones grit 16	5,2 Kg	11.5 lbs			5,5 Kg	12 lbs
250PMIPER	8024648016027	1	Abrasive disc / grindstone holder (nr.5)	6,2 Kg	13.7 lbs			6,5 Kg	10.3 lbs
250PMOLE	8024648003089	1	Abrasive disc / grindstone holder (nr.5)	6,2 Kg	13.7 lbs			6,5 Kg	10.3 lbs
230PMOLE	8024648003096	1	Abrasive disc / grindstone holder (nr.3)	4,6 Kg	10.2 lbs			4,9 Kg	10.8 lbs

Part No.	Applications				IPERTITINA PLUS	IPERTITINA	MAXITITINA	SUPERTITINA
250IPER	For abrading and polishing cement, resin, terracotta surfaces.	16	490 mm	19 1/4"	•	•	—	—
250		16	490 mm	19 1/4"	—	—	•	—
230		16	420 mm	16 1/2"	—	—	—	•
249IPER		16	490 mm	19 1/4"	•	•	—	—
249		16	490 mm	19 1/4"	—	—	•	—
229		16	420 mm	16 1/2"	—	—	—	•
250PMIPER	Disc holder for several types of abrasive tools	—	490 mm	19 1/4"	•	•	—	—
250PMOLE		—	490 mm	19 1/4"	—	—	•	—
230PMOLE		—	420 mm	16 1/2"	—	—	—	•
230PMOLE		—	420 mm	16 1/2"	—	—	—	•

ABRASIVE TOOLS

Part No.			Description						
273W16	8024648003102	5	Wolfram carbide plate grit 16	1 Kg	2.2 lbs	25x15xh 10 cm	10"x20"xh 4"	5 Kg	11 lbs
273W6	8024648003119	5	Wolfram carbide plate grit 6	1 Kg	2.2 lbs				
273	8024648003140	5	Silicon carbide cup wheel grit 6 (14 MA fitting)	600 gr	21.2 oz	25x25xh 10 cm	10"x10"xh 4"	3 Kg	6.6 lbs
27418G16C	8024648014139	5	Single face silicon carbide flap wheel grit 16	150 gr	5.3 oz				
27418G24C	8024648079596	5	Single face silicon carbide flap wheel grit 24	150 gr	5.3 oz	20x20xh 5 cm	7 7/8" x 7 7/8" xh 2"	750 gr	26.5 oz
27418G36C	8024648014146	5	Single face silicon carbide flap wheel grit 36	150 gr	5.3 oz				
273CHI01	8024648003188	6	Grindstone with 6 wolfram carbide nails	230 gr	8.1 oz	8x8xh 5 cm	3 1/8" x 3 1/8" xh 2"	1,2 Kg	2.6 lbs
273SP100	8024648005564	1	Wolfram carbide nails (100 pcs per box)	250 gr	8.8 oz	—	—	250 gr	8.8 oz
158GF03D	8024648017413	5	14 MA metal flange for abrasive wheels/discs	45 gr	1.6 oz	—	—	225 gr	7.9 oz

Part No.	Applications			Number of tools for blade			
				490 mm	19 1/4"	420 mm	16 1/2"
273W16	For removing thinsets, adhesive, overspray, etc...	16	125 mm	5"	5	3	
273W6		6	125 mm	5"	5	3	
273	For abrading and polishing cement, resin, terracotta surfaces.	16	110 mm	4 3/8"	5	3	
27418G16C	For scarifying smooth surfaces to improve	16	178 mm	7"	5	3	
27418G24C	the bonding of adhesives.	24	178 mm	7"	5	3	
27418G36C	For removal of grout residue when removing old floors.	36	178 mm	7"	5	3	
273CHI01		—	70 mm	2 3/4"	6	5	



RAIMONDI