


Ключ звезда ударен - 184/7









Описание





- материал: специална инструментална стомана
- ковани, изцяло закалени
- антикорозионна обработка
- изработен в съответствие със стандарт DIN 7444 (само за метрични размери)

Технически параметри

| Barcode | Hex Size | L | B | A | Weight | Material | Finish | Standard |
|---------|----------|-----|------|------|--------|----------|--------|----------|
| 620494 | 24 | 180 | 48.6 | 16 | 534 | 1F | 1 | - |
| 620495 | 27 | 180 | 48.6 | 16 | 514 | 1F | 1 | - |
| 620496 | 30 | 180 | 48.6 | 16 | 488 | 1F | 1 | - |
| 620497 | 32 | 190 | 58.4 | 18 | 739 | 1F | 1 | - |
| 620498 | 36 | 190 | 58.4 | 18 | 694 | 1F | 1 | - |
| 620499 | 41 | 235 | 74 | 22 | 1425 | 1F | 1 | - |
| 620500 | 46 | 235 | 74 | 22 | 1360 | 1F | 1 | - |
| 620501 | 50 | 235 | 74 | 22 | 1335 | 1F | 1 | - |
| 620502 | 55 | 275 | 97.6 | 27 | 2800 | 1F | 1 | - |
| 620503 | 60 | 275 | 97.6 | 27 | 2710 | 1F | 1 | - |
| 620504 | 65 | 275 | 97.6 | 27 | 2580 | 1F | 1 | - |
| 620505 | 70 | 330 | 108 | 33 | 4685 | 1F | 1 | - |
| 620506 | 75 | 330 | 108 | 33 | 4570 | 1F | 1 | - |
| 620507 | 80 | 360 | 124 | 36 | 4305 | 1F | 1 | - |
| 620508 | 85 | 360 | 124 | 36 | 4220 | 1F | 1 | - |
| 620509 | 90 | 390 | 142 | 39 | 5335 | 1F | 1 | - |
| 620510 | 95 | 390 | 142 | 39 | 5090 | 1F | 1 | - |
| 620511 | 100 | 425 | 153 | 44 | 6800 | 1F | 1 | - |
| 620512 | 105 | 425 | 153 | 45 | 5930 | 1F | 1 | - |
| 620513 | 110 | 450 | 168 | 47 | 8200 | 1F | 1 | - |
| 620514 | 115 | 450 | 168 | 47 | 8400 | 1F | 1 | - |
| 620515 | 120 | 495 | 190 | 53 | 11400 | 1F | 1 | - |
| 620516 | 125 | 495 | 190 | 53 | 10800 | 1F | 1 | - |
| 620517 | 130 | 520 | 200 | 58 | 13400 | 1F | 1 | - |
| 620518 | 135 | 520 | 200 | 60 | 13800 | 1F | 1 | - |
| 620519 | 140 | 575 | 220 | 61 | 17000 | 1F | 1 | - |
| 620520 | 145 | 575 | 220 | 61 | 16600 | 1F | 1 | - |
| 620521 | 150 | 575 | 220 | 61 | 17000 | 1F | 1 | - |
| 620522 | 1.1/16" | 180 | 49 | 16 | 512 | 1F | 1 | - |
| 620523 | 1.1/8" | 180 | 49 | 16 | 511 | 1F | 1 | - |
| 620524 | 1.3/16" | 180 | 49 | 16 | 502 | 1F | 1 | - |
| 620525 | 1.1/4" | 190 | 58 | 18 | 740 | 1F | 1 | - |
| 620526 | 1.5/16" | 190 | 58 | 18 | 708 | 1F | 1 | - |
| 620527 | 1.3/8" | 190 | 58 | 18 | 700 | 1F | 1 | - |
| 620528 | 1.7/16" | 190 | 58 | 18 | 687 | 1F | 1 | - |
| 620529 | 1.1/2" | 235 | 74 | 22 | 1470 | 1F | 1 | - |
| 620530 | 1.5/8" | 235 | 74 | 22 | 1425 | 1F | 1 | - |
| 620531 | 1.11/16" | 235 | 74 | 22 | 1440 | 1F | 1 | - |
| 620532 | 1.3/4" | 235 | 74 | 22 | 1410 | 1F | 1 | - |
| 620533 | 1.13/16" | 235 | 74 | 22 | 1360 | 1F | 1 | - |
| 620534 | 1.7/8" | 235 | 74 | 22 | 1350 | 1F | 1 | - |
| 620535 | 2" | 235 | 74 | 22 | 1335 | 1F | 1 | - |
| 620536 | 2.1/16" | 275 | 98 | 27 | 1860 | 1F | 1 | - |
| 620537 | 2.1/8" | 275 | 98 | 27 | 2840 | 1F | 1 | - |
| 620538 | 2.3/16" | 275 | 98 | 27 | 2800 | 1F | 1 | - |
| 620539 | 2.1/4" | 275 | 98 | 27 | 2730 | 1F | 1 | - |
| 620540 | 2.5/16" | 275 | 98 | 27 | 2670 | 1F | 1 | - |
| 620541 | 2.3/8" | 275 | 98 | 27 | 2710 | 1F | 1 | - |
| 620542 | 2.1/2" | 300 | 102 | 28.5 | 2580 | 1F | 1 | - |
| 620543 | 2.9/16" | 300 | 102 | 28.5 | 2580 | 1F | 1 | - |
| 620544 | 2.5/8" | 300 | 102 | 28.5 | 4685 | 1F | 1 | - |
| 620545 | 2.3/4" | 330 | 108 | 33 | 4685 | 1F | 1 | - |
| 620546 | 2.15/16" | 330 | 108 | 33 | 4520 | 1F | 1 | - |
| 620547 | 3" | 330 | 108 | 33 | 4570 | 1F | 1 | - |
| 620548 | 3.1/8" | 360 | 124 | 36 | 4305 | 1F | 1 | - |
| 620549 | 3.3/8" | 360 | 124 | 36 | 4220 | 1F | 1 | - |
| 620550 | 3.1/2" | 390 | 142 | 39 | 5335 | 1F | 1 | - |
| 620551 | 3.3/4" | 390 | 142 | 39 | 5090 | 1F | 1 | - |
| 620552 | 3.7/8" | 425 | 153 | 44 | 6910 | 1F | 1 | - |

|  |  | L | B | A |  |  |  |  |
|---|---|-----|-----|----|---|---|---|---|
| 620553 | 4" | 425 | 153 | 44 | 6800 | 1F | 1 | - |
| 620554 | 4.1/8" | 425 | 153 | 45 | 6800 | 1F | 1 | - |
| 620555 | 4.1/2" | 450 | 168 | 47 | 8400 | 1F | 1 | - |

Информация за опаковането

|  |  | Опаковка за търговия на дребно | | | | Транспортна опаковка | | | | |
|---|---|--------------------------------|-----|----|---|----------------------|-----|-----|---|-----|
| | | A | Б | Ц |  | A1 | Б1 | Ц1 |  | |
| 620494 | 24 | 82 | 220 | 32 | 604 | 1 | 90 | 205 | 60 | 604 |
| 620495 | 27 | 82 | 220 | 32 | 584 | 1 | 90 | 205 | 60 | 584 |
| 620496 | 30 | 82 | 220 | 32 | 558 | 1 | 90 | 205 | 60 | 558 |
| 620497 | 32 | 82 | 220 | 32 | 809 | 1 | 100 | 210 | 70 | - |
| 620498 | 36 | 82 | 220 | 32 | 764 | 1 | 100 | 210 | 70 | 764 |
| 620499 | 41 | 90 | 250 | 30 | 1495 | 1 | - | - | - | - |
| 620500 | 46 | 90 | 250 | 30 | 1430 | 1 | - | - | - | - |
| 620501 | 50 | 90 | 250 | 30 | 1405 | 1 | - | - | - | - |
| 620502 | 55 | 110 | 290 | 35 | 2870 | 1 | - | - | - | - |
| 620503 | 60 | 110 | 290 | 35 | 2780 | 1 | - | - | - | - |
| 620504 | 65 | 110 | 290 | 35 | 2650 | 1 | - | - | - | - |
| 620505 | 70 | 135 | 355 | 45 | 4755 | 1 | - | - | - | - |
| 620506 | 75 | 130 | 350 | 45 | 4640 | 1 | - | - | - | - |
| 620507 | 80 | 130 | 350 | 45 | 4375 | 1 | - | - | - | - |
| 620508 | 85 | 165 | 390 | 50 | 4290 | 1 | - | - | - | - |
| 620509 | 90 | 170 | 415 | 50 | 5405 | 1 | - | - | - | - |
| 620510 | 95 | 170 | 420 | 50 | 5160 | 1 | - | - | - | - |
| 620511 | 100 | 170 | 455 | 50 | 6870 | 1 | - | - | - | - |
| 620512 | 105 | 170 | 460 | 50 | 6000 | 1 | - | - | - | - |
| 620513 | 110 | 190 | 490 | 55 | 8270 | 1 | - | - | - | - |
| 620514 | 115 | 185 | 485 | 55 | 8470 | 1 | - | - | - | - |
| 620515 | 120 | 215 | 545 | 60 | 11470 | 1 | - | - | - | - |
| 620516 | 125 | 215 | 550 | 60 | 10870 | 1 | - | - | - | - |
| 620517 | 130 | 230 | 570 | 70 | 13470 | 1 | - | - | - | - |
| 620518 | 135 | 230 | 565 | 70 | 13870 | 1 | - | - | - | - |
| 620519 | 140 | 245 | 625 | 70 | 17070 | 1 | - | - | - | - |
| 620520 | 145 | 250 | 625 | 70 | 16670 | 1 | - | - | - | - |
| 620521 | 150 | 250 | 625 | 70 | 17070 | 1 | - | - | - | - |
| 620522 | 1.1/16" | 82 | 220 | 32 | 582 | 1 | 90 | 205 | 60 | 582 |
| 620523 | 1.1/8" | 82 | 220 | 32 | 581 | 1 | 90 | 60 | 205 | 581 |
| 620524 | 1.3/16" | 82 | 220 | 32 | 572 | 1 | 90 | 205 | 60 | 572 |
| 620525 | 1.1/4" | 82 | 220 | 32 | 810 | 1 | 100 | 210 | 70 | 810 |
| 620526 | 1.5/16" | 82 | 220 | 32 | 778 | 1 | 100 | 210 | 70 | 778 |
| 620527 | 1.3/8" | 82 | 220 | 32 | 770 | 1 | 100 | 210 | 70 | 770 |
| 620528 | 1.7/16" | 82 | 220 | 32 | 757 | 1 | 100 | 210 | 70 | 757 |
| 620529 | 1.1/2" | 90 | 250 | 30 | 1540 | 1 | - | - | - | - |
| 620530 | 1.5/8" | 90 | 250 | 30 | 1495 | 1 | - | - | - | - |
| 620531 | 1.11/16" | 90 | 245 | 30 | 1510 | 1 | - | - | - | - |
| 620532 | 1.3/4" | 90 | 250 | 30 | 1480 | 1 | - | - | - | - |
| 620533 | 1.13/16" | 90 | 250 | 30 | 1430 | 1 | - | - | - | - |
| 620534 | 1.7/8" | 90 | 250 | 30 | 1420 | 1 | - | - | - | - |
| 620535 | 2" | 90 | 250 | 30 | 1405 | 1 | - | - | - | - |
| 620536 | 2.1/16" | 110 | 285 | 35 | 1930 | 1 | - | - | - | - |
| 620537 | 2.1/8" | 110 | 290 | 35 | 2910 | 1 | - | - | - | - |
| 620538 | 2.3/16" | 110 | 290 | 35 | 2870 | 1 | - | - | - | - |
| 620539 | 2.1/4" | 110 | 285 | 34 | 2800 | 1 | - | - | - | - |
| 620540 | 2.5/16" | 110 | 290 | 33 | 2740 | 1 | - | - | - | - |
| 620541 | 2.3/8" | 110 | 290 | 35 | 2780 | 1 | - | - | - | - |
| 620542 | 2.1/2" | 90 | 285 | 35 | 2650 | 1 | - | - | - | - |
| 620543 | 2.9/16" | 110 | 290 | 35 | 2650 | 1 | - | - | - | - |
| 620544 | 2.5/8" | 135 | 350 | 45 | 4755 | 1 | - | - | - | - |
| 620545 | 2.3/4" | 135 | 355 | 45 | 4755 | 1 | - | - | - | - |
| 620546 | 2.15/16" | 135 | 350 | 45 | 4590 | 1 | - | - | - | - |
| 620547 | 3" | 130 | 350 | 45 | 4640 | 1 | - | - | - | - |
| 620548 | 3.1/8" | 130 | 350 | 45 | 4375 | 1 | - | - | - | - |
| 620549 | 3.3/8" | 165 | 390 | 50 | 4290 | 1 | - | - | - | - |
| 620550 | 3.1/2" | 170 | 415 | 50 | 5405 | 1 | - | - | - | - |
| 620551 | 3.3/4" | 170 | 420 | 50 | 5160 | 1 | - | - | - | - |
| 620552 | 3.7/8" | 170 | 460 | 55 | 6980 | 1 | - | - | - | - |
| 620553 | 4" | 170 | 455 | 50 | 6870 | 1 | - | - | - | - |

| Barcode | UNIORD Logo | Опаковка за търговия на дребно | | | | | Транспортна опаковка | | | |
|---------|-------------|--------------------------------|-----|----|--------|--------|----------------------|----|----|--------|
| | | A | Б | Ц | Weight | Volume | A1 | Б1 | Ц1 | Weight |
| 620554 | 4.1/8" | 170 | 460 | 50 | 6870 | 1 | - | - | - | - |
| 620555 | 4.1/2" | 185 | 485 | 55 | 8470 | 1 | - | - | - | - |