# 18V Mobile Type 13 Stapler





## **Product Objectives**



- Designed to suit the needs of installing upholstery and fastening wall sarking to timber house framing
- Develop a 18V mobile staples that is compact and lightweight suited for RT staples



## **Product Overview**





### **Product Specification Sheet**





| Staple width      | 10mm      |
|-------------------|-----------|
| Staple length     | 7&10mm    |
| Staple size       | 0.5 x 0.7 |
| Staple type       | R13       |
| Magazine capacity | 150       |
| Overall length    | 235mm     |
| Weight            | 1.7kg     |

- **Continuous shooting** contact arm mechanism enables continuous shooting and drag shooting which quick response times
- Anti-dry fire prevents jamming and prevents you from thinking you fired a staple when the tools fires with no staples
- Compact and lightweight at only 1.7kg with a 3, 4, 5 or 6Ah battery and only 235mm in length
- LED joblight for bright and wide illumination with afterglow function
- Low reaction force minimal recoil force felt by the user for comfortable operation
- XPT eXtreme Protection Technology advanced protects against dust and moisture for use outdoors or in harsh environments

### Advantages



#### **Performance**




Up to 12,000 staples fired on a single 6.0Ah battery

#### **Compact**



Compact and lightweight Ensures comfortable use during operation

#### **Innovation**



Continuous shooting or drag shooting whilst the contact arm is down

#### **Speed**



Quick firing response with zero recharge time

## **Our Range**

Staple type

Staple width

Staple length

Magazine capacity

Overall length

Weight

Staple size



| Thakita     | Trakita LXT         |
|-------------|---------------------|
| R13         | T50                 |
| 10mm        | 10mm                |
| 7&10mm      | 10, 13, 16, 19 & 22 |
| 0.5 x 0.7mm | 0.6 x 1.2mm         |
| 150         | 84                  |
| 235mm       | 251mm               |
| 1.7kg       | 2.3kg               |

**DST221** 

**DST112Z** 

# Accessories



| Standard Equipment |                      |                |
|--------------------|----------------------|----------------|
|                    | -                    | Safety goggles |
|                    | 346317-0<br>251314-2 | Hook + Screw   |

| Optional Equipment   |                       |   |
|--|-----------------------|---|
| THE PARTY OF THE P | BL1815N to<br>BL1860B | 18v Li-lon Batteries BL1815N 1.5Ah to BL1860B 6Ah |
|  | DC18RC                | 240V Fast Charger                                 |
|  | DC18SD                | 240V Standard<br>Charger                          |
| The state of the s | DC18RD                | Dual Port Rapid<br>Charger                        |