


Laserliner®

LaserRange-Master T4 Pro



Laser distance meter –
 with Bluetooth interface
 and angle function

Rev.1116




- Point-precise measuring with laser to determine lengths exactly
- The area and volume functions permit the acquisition of room sizes, for example to calculate material quantities
- Bluetooth interface for measurement data transfer
- 360° inclination sensor for determining the horizontal and vertical distance
- High measuring accuracy up to 40 m: $\pm 2 \text{ mm}^*$
- Inside measurement range: 0.2 m to 40 m
- 3 selectable measurement reference points: front, tripod and rear
- Continuous measuring function
- Illuminated 3-line colour LCD with touch function
- Stable, ergonomic housing

TECHNICAL DATA

ACCURACY	$\pm 2 \text{ mm}$ (typical)*
MEASUREMENT RANGE	max. 40 m
MINIMAL RANGE	0,2 m
LASER	Class 2 < 1mW
LASER WAVELENGTH	650 nm
OPERATING TEMPERATURE	0°C ... 40°C
STORAGE TEMPERATURE	-20°C ... 70°C
UNIT (selectable)	m / ft / inch / °
AUTOMATIC SWITCH-OFF	dynamic depending on measuring mode: Laser: 30 s - 5 min Device: 3 min - 8 min
FUNCTIONS	distances, areas, volumes, continuous measurement, Pythagoras 1 + 2, angle function 1 + 2
POWER SUPPLY	Batteries 2 x 1.5 V type AAA
DIMENSIONS (W x H x D)	100 x 23 x 35 mm
WEIGHT	with batteries 82 g

* See operating instructions for specific accuracies



LaserRange-Master T4 Pro
 inclusive softbag
 + batteries (2 x 1.5 V type AAA)

Packaging dimension (W x H x D)
 113 x 236 x 64 mm

ARTICLE	ARTICLE NO	EAN-CODE	PU
LaserRange-Master T4 Pro	080.850A	4 021563 698158	5

