

# **Product Objectives**



The PDC1200 provides longer tool runtimes allowing you to get more work done throughout your working day. Coming in kits with an LXT 18Vx2 adaptor or 40V Max adaptor, the PDC1200 is compatible across three platforms: LXT 18Vx2, XGT 40V Max & Direct Connection, maximizing the range of work you can undertake.

Featuring an energy capacity of 1,206Wh, the PDC1200 provides runtimes equivalent to 11x 18V 6.0Ah batteries. You can charge up overnight using the AC charger (6hr charge time) so you're ready to go for a full day of uninterrupted power.

The comfortable harness can be adjusted to suit a variety of heights but can also be removed from the unit to provide stationary power meaning you can work all day with minimal fatigue.



### **Product Overview**





### **Product Specification Sheet**





Energy Capacity	1,206Wh		
Battery Capacity	33.5Ah		
Charge Time	360 mins (DC4001)		
Battery Fuel Gauge	Yes		
Weight	Unit	8.8kg	
	With Harness	10.3kg	
	Adaptors	18Vx2: 0.8kg 40V Max: 0.53kg	
Overall Length	369mm		
Voltage	18Vx2 / 40V Max		

- High capacity provides energy capacity of 1,206Wh allowing for significantly longer tool runtimes
- A/C charger charges through the use of an A/C charging adaptor, with a charge time of 6 hours
- **Versatile backpack harness** the comfortable backpack harness allows for use for long periods of time with minimal user fatigue. The harness is able to be adjusted to suit a variety of heights and can be detached from the unit for use as a stationary power pack.
- 4 LED battery indicator located on the outside of the unit to allow the user to see how much battery life is left.
- Compatible across 3 platforms tools are able to power 18Vx2 LXT tools through the 18Vx2 adaptor, XGT tools through the 40V Max adaptor and through direct connection to tools that feature a connection cable.

# Advantages



#### **Performance**







Compatible across 3 platforms

#### Runtime



Provides up to 1,206Wh

#### Convenience



Ability to check remaining battery life from outside the backpack

#### **Comfort**



Adjustable backpack harness provides maximum comfort for all users

# Advantages



#### **Compatible Across 3 Platforms**

The PDC1200 provides maximum versatility as it can power the widest range of Makita tools. The PDC1200 is able to provide power to LXT 18Vx2 tools through the 18Vx2 adaptor, XGT tools through the 40V Max adaptor and through direct connection to tools that feature a connection cable.







# Advantages



#### **Extended Runtime**

The PDC1200 will provide the runtime to work all day long, providing 1,200Wh. In comparison, PDC01 with 4 6.0Ah batteries provides 432Wh and 2x BL1860B will provide 216Wh. The PDC1200 provides up to 5.6 times more runtime that 18Vx2 tools used with 2x 6.0Ah batteries.

1,206Wh



432Wh



216Wh



PDC1200 provides:

2.8 times more runtime

5.6 times more runtime

# Compatibility



Products Not Compatible with PDC1200					
LXT OPE	DCU180	DLM532X			
	DHW080	DLM533X			
	DLM382	DUC302			
-3VM	DLM432	DUC306			
	DLM464	DUP362			
W. VIII	DLM531				
LXT	DHR282	DHR283			
LXT BME	DRC200	DVC560Z			
	DVC150L	DVC660X1			
	DVC261X13	DVC665XU			
	DVC265	DVC750LX1			
	DVC265ZXU				

### Compatibility



#### **Direct Connection Compatibility**

Makita provides a range of high-powered tools that feature a direct connection cord and are powered by either the PDC1200: Portable Power Supply or PDC01: Battery Backpack Adaptor. At present we have the UR101C and UR201C – Brushless Line Trimmers available, with more direct connection tools coming in 2021.



# **Our Range**



		PDC1200A01/A02	PDC01 (191A62-6)	BAP182 (197581-4)	BCV01 (195510-1)
		makita	The state of the s		
Energy Capacity		1,206Wh	432Wh (4x 6.0Ah Batteries)	216Wh (2x 6.0Ah Batteries)	216Wh (2x 6.0Ah Batteries)
Charging Time	1	6hrs (DC4001)	OHI	-	-
Battery Fuel Gaug	e	Yes	Yes	Yes	Yes
	Unit	8.8kg	7.0kg (4x 6.0Ah Batteries)	2.4kg (2x 6.0Ah Batteries)	2.2kg (2x 6.0Ah Batteries)
Weight	With Harness	10.3kg	4.4kg	-	-
	Adaptors	18Vx2: 0.8kg	18V: 0.5kg 18Vx2:0.8kg	0.6kg	0.4kg
Overall Length		369mm	400mm	206mm	206mm
Voltage		18Vx2 (36V)	18V / 36V (18Vx2)	18Vx2	36V

### **Accessories**



#### **Standard Accessories**



191J51-5

18Vx2 Battery Adaptor (PDC1200A01)



191L02-0 (DC4001) AC Charger (PDC1200A01 & PDC1200A02)



127347-8

Harness Assembly

#### **Optional Accessories**



191N62-4

40V Max Adaptor Coming March 2021

