

40V Max 235mm (9-1/4") Jobsite Fan



HEAVY DUTY



МАКІТА
ПРОФЕСІОНАЛ



Product Statement



HEAVY DUTY

The Makita 40V Max 235mm (9-1/4") Jobsite Fan is a powerful yet portable and convenient air-moving solution for painters, contractors, and more. The fan has three speed settings and an oscillation selector for optimal air velocity and control.

When using an 40V XGT 4.0Ah battery (BL4040, sold separately), users get up to 10 hours of continuous run time on the high speed setting.

Added features include tilt-settings for better direction of air flow. The 3-stage automatic timer has 1-hour, 2-hour and 4-hour power-off selection. The fan is compatible with 40V XGT batteries or AC power.



Product Overview




МАГАЗИН
БАШНИ
ПРОФЕССИОНАЛЬНЫХ РЕШЕНИЙ

Power

Quiet Operation

Off-timer switch

3-speed settings



Adjustable fan angle

Powered by 40V XGT Batteries or AC Power

Automatic Oscillation

Product Specifications



Fan diameter	235mm (9-1/4")
Max. wind velocity	190m/min
Max. air volume	8.2m ³ /min
Overall length	333mm
Skin weight	2.0kg
Weight (with battery)	3.0kg (BL4040)
Voltage	40V Max / AC

- **Power** – features a 190m/min maximum air speed with 3 wind speed settings High / Medium / Low
- **Quiet Operation** – fan noise has been significantly reduced due to the re-design of the fan blades and cover. Now only 53dB which would be equal to that of a running refrigerator
- **Off-timer switch** – push button switch allows the user to select timer settings of either one, two or four hours after which the fan will turn off
- **3-speed settings** – high, medium and low wind speed settings are available for additional control depending on the drying or cooling application. The settings are visible via the LED indicator and will resume operation at the speed set in last operation
- **Adjustable fan angle** – adjustable fan angle allows for greater versatility and increased airflow dispersion mode in varying working environments
- **Adjustable oscillation** – Automatic oscillating fan increases airflow dispersion for increased air movement in varying working environments
- **Powered by 40V XGT Batteries or AC Power** – compatible with 40V XGT batteries users will receive up to 10 hours of runtime with a 4.0Ah battery in high, or powered by 240V AC power

Power



190m/min maximum air speed with up to 10 hrs runtime on a 4.0Ah battery in high with oscillation

Convenience



Powered by either 40V MAX XGT batteries or AC power

Versatility



Automatic Oscillation: 45° left/right allows for greater and more versatile air dispersion

Control



3 Speed settings are available for more control depending on the application

Accessories



Standard Accessories

	TE00000168	AC Adaptor
--	------------	------------

Optional Accessories

	BL4025 BL4040	<u>40V Max XGT Batteries</u>
	DC40RA	<u>40V Max XGT Charger</u>
	ADP10	<u>18V LXT Charging Adaptor</u>



МОДЕЛИ МАШИИ МАСТЕРСКИЕ РЕШЕНИЯ
ПРОФЕССИОНАЛЬНЫЕ РЕШЕНИЯ