

40V Max Brushless 600mm / 750mm Hedge Trimmers



HEAVY DUTY BRUSHLESS



Product Statement




The 40V Max Brushless Hedge Trimmers are designed for high frequency commercial users. Featuring angled teeth, designed to provide a large cut capacity of 25mm and a smooth cutting action of up to 4,000spm.

Low vibration construction protects the battery terminals and end user's hands for long periods of comfortable use. The 5-position rotatable rear handle provides further ease of use particularly for vertical or horizontal operation.

The 3 stage speed control allows the user to adjust the operating strokes per minute and the reverse function operates to remove a jam.



Product Overview



Product Specifications



Model	UH006 / UH007
Max. output power	720W
Cutting strokes per minute	2,000spm / 3,000spm / 4,000spm
Maximum branch diameter	25mm
Vibration (m/s ²)	Front Handle – 3.0 / 3.4 Rear Handle – 2.4 / 3.1
Overall length	1,123mm / 1,274mm
Skin weight	3.4kg / 3.6kg
Weight (with BL4040)	4.4kg / 4.6kg
Voltage	40V Max

- **High Power Output** – the high power 40Vmax XGT Li-Ion battery allows for continuous operation in heavy-duty applications. Delivering up to 4,000 cutting strokes per minute for fast smooth cutting.
- **Large Cutting Capacity** – angled tooth design provides increased cutting capacity
- **Reverse Mode** – In the event of a jammed blade, reverse mode cycles the blades backwards to release any debris before automatically returning to forward operation.
- **3 Speed Selection** – 3 speeds allow the user to achieve longer runtimes and adjust the speed to suit the application.
- **IPX4** – High resistance to water penetration to allow the machine to be used in rainy weather without risk of damage.
- **Bumper Tip** – Protects the tip of the blade assembly from sudden jolts against the ground reducing risk of damage.
- **Constant Speed Control** – Electronic speed control ensures smooth cutting and consistent strokes per minute in a range of applications.
- **Low Vibration Design** – Vibration suppression system reduces vibration transmitted through the handles for long periods of comfortable operation.

Heavy Duty Power



Powered by XGT 40V Max batteries for continuous heavy duty operation

Performance



Angled teeth provide increased cutting capacity for rough cutting

Ergonomics



Rotatable rear handle to provide optimum handling for vertical or horizontal hedging



Safety



Two handed operation keeps hands away from cutting blades for added safety



	UH008	UH009	UH006	UH007
Max. output power	720W		720W	
Cutting length	600mm	750mm	600mm	750mm
Cutting strokes per minute	2,000spm / 3,600spm / 5,000spm		2,000spm / 3,000spm / 4,000spm	
Maximum branch diameter	21.5mm		25mm	
Vibration (m/s ²) (Front / Rear Handle)	3.1 / 2.4	3.2 / 2.5	3.0 / 2.4	3.4 / 3.1
Overall length	1,120mm	1,262mm	1,123mm	1,274mm
Skin weight	3.3kg	3.5kg	3.4kg	3.6kg
Weight (with BL4040)	4.3kg	4.5kg	4.4kg	4.6kg

Standard Accessories		
	412911-1	Blade Cover (UH006)
	412912-9	Blade Cover (UH007)



МАГАЗИН МАЙСТОРА
 БАШ МАЙСТОРА
 ПРОФЕСИОНАЛНИ РЕШЕНИЯ