

40V Max Brushless 260mm Rear Handle Saw



HEAVY DUTY BRUSHLESS



40V Max Brushless 260mm Rear Handle Saw

The 40V Max XGT Brushless 260mm (10-1/4") Rear Handle Saw (RS002G) provides cordless convenience, while taking on high-demand applications. The Makita-built brushless motor delivers 4,000 RPM for high-speed cutting performance. With a massive cutting capacity of 95mm this saw is ideal for framers, builders, landscapers, roofers, forming, and more.

This saw features an electric brake for maximum productivity and Automatic Torque Drive Technology adjusts cutting speed under load for optimum cutting performance. The saw is also equipped with Makita's Extreme Protection Technology (XPT), designed to improve a tool's operation and durability in harsh conditions



Product Overview



HEAVY DUTY BRUSHLESS

Rafter hook

Automatic Torque Drive




Dust extraction port



Large bevel capacity

Electric brake



Soft start

Magnesium base



МАГАЗИН
БАТТ
ТОП
РЕШЕНИЯ



Max. cutting capacities at 0°	95mm
Max. cutting capacities at 45°	70mm
Max. cutting capacities at max bevel	54.5mm
Bevel capacity	0°-56°
Blade diameter	260mm (10-1/4")
Bore diameter	30mm
No load speed	4,000rpm
Overall length	489mm
Skin weight	5.0kg
Weight (with battery)	6.3kg (BL4050F)
Voltage	40V Max

- **Automatic torque drive** – automatically optimises the rpm to torque ratio to produce the fastest cut in light or hard applications. High blade speed in light material cutting and high torque in heavy material.
- **Dust extraction port** – when performing clean cutting operation, connect a compatible dust extraction system to your tool. Connect the hose of the vacuum cleaner to the dust nozzle using the front cuff 24.
- **Large bevel capacity** – 0°- 56° bevel capacity with positive stops at 22.5°, 45°, and 56°
- **Magnesium base** – die-cast magnesium base and blade guard along with a die-cast aluminum blade cover and motor housing provide a lightweight design whilst also ensuring the housing is highly durable.
- **Rafter hook** – Retractable, extra-wide tool hook secures the tool when not in use with a 66mm width.
- **Auto-start Wireless System (AWS)** – when paired with a compatible Bluetooth vacuum or receiver the trigger switch on the grinder can wirelessly activate the dust extraction system. Extraction will operate while the tool is in use and deactivate 5 seconds after the trigger is released.
- **eXtreme Protection Technology (XPT)** – is an advanced series of seals and channels to direct dust and moisture away from critical components ensuring the durability of the product in the toughest conditions.
- **Electric brake** – rapidly stops the blade rotation after the switch has been disengaged
- **Soft start** – minimises start-up shock, and makes the tool start smoothly

Heavy Duty Power



Performing cuts up to twice as fast as the 240V AC Equivalent

Safety



Safety protection with electric brake and soft-start for user safety

Cutting Capacity



Massive 95mm cutting capacity

Speed



Rapid cutting speeds with 4,000rpm

XGT Cutting Power

Up to
115%
More
Power

Test: Cutting melapi 300 x 90mm

- RS002G – 5.0Ah (180Wh) Battery
- RS002G – 4.0Ah (144Wh) Battery
- HS0600 – 240V AC



Speed:

RS002G (BL4050F)	(2.7 Seconds)
RS002G (BL4040)	(2.9 Seconds)
HS0600	(5.65 Seconds)

Runtime:





RS002G (BL4050F)	80 cuts
RS002G (BL4040)	65 cuts



Our Range




HEAVY DUTY BRUSHLESS

	RS002G	RS001G	HS004G	HS003G
				
Max. cutting capacities at 0°	95mm	65mm	60mm	66mm
Max. cutting capacities at 45°	70mm	45mm	43mm	45.5mm
Max. cutting capacities at max bevel	54.5mm	38mm	41mm	34mm
Bevel capacity	0°-56°	0°-53°	0°- 48°	0°- 56°
Blade diameter	260mm (10-1/4")	185mm (7-1/4")	185mm (7-1/4")	185mm (7-1/4")
Bore diameter	30mm	20mm	20mm	20mm
No load speed	4,000rpm	6,400rpm	6,000rpm	6,000rpm
Overall length	489mm	446mm	337mm	331mm
Skin weight	5.0kg	4.4kg	3.7kg	3.4kg
Weight (with battery)	6.3kg (BL4050F)	5.6kg (BL4050F)	4.7kg (BL4040)	4.4kg (BL4040)
Voltage	40V Max	40V Max	40V Max	40V Max

Standard Accessories

	<p>E-07711</p>	<p>Efficut TCT Saw Blade 260mm X 30 X 24T</p>
	<p>782016-4</p>	<p>Offset Wrench 13</p>
	<p>140Y64-3*</p>	<p>Side Grip</p>

Optional Accessories

	<p>E-07711</p>	<p><u>Efficut TCT Saw Blades</u> 260mm X 30 X 24T Link to Efficut Saw Blades</p>
---	----------------	---

* Not available for individual sale