

40V Max Brushless 28mm SDS Plus Rotary Hammer



HEAVY DUTY BRUSHLESS

HR007G



40V Max Brushless 28mm SDS Plus Rotary Hammer

The 40V Max. Brushless 28mm Rotary Hammer delivers high performance with 3.0 joules of hard hitting impact energy. That impact energy allows you to drill holes in masonry up to a 28mm diameter quickly and efficiently.

Anti-Vibration Technology (AVT) actively reduces the tools vibration through a series of count weight mechanisms and vibration absorbing housing. These designs significantly reducing the vibration transferred to the user for more comfortable use of the tool over extended periods of time.

Compatible with AWS* the HR007G can be paired with a compatible vacuum for on demand dust extraction. AWS uses Bluetooth to wirelessly power on and off the extraction unit using the tools trigger. In addition the HR007G is compatible with a wide variety of dust management options including the onboard dust extraction system DX15.

*AWS receiver sold separately



Product Overview



HEAVY DUTY BRUSHLESS



Standard SDS Chuck

Improved tool balance

Variable speed trigger

Active Feedback Sensing Technology (AFT)

High power output



Product Specifications



HEAVY DUTY BRUSHLESS



Max. drilling capacities in masonry	TCT Bit: 28mm Core Bit: 54mm Diamond Core Bit: 65mm
Chuck Type	SDS Plus Standard
Impact energy	3.0j
No load speed	0-980rpm
Impact rate	0-5,000ipm
Sound Pressure	95dB(A)
Vibration	8.6m/s ²
Overall length	473mm
Skin weight	3.2kg
Weight (with battery)	4.2kg (BL4040)
Voltage	40V Max

- **Standard SDS Chuck** – the HR007G is equip with a standard chuck compatible with SDS Plus bits.
- **Improved Tool Balance** – improved design optimises the tool's center of gravity locating it as close to the handle grip as possible. This provides ideal weight distribution for more control and less fatigue even in overhead or horizontal drilling/chipping applications.
- **Anti-Vibration Technology (AVT)** – extremely low vibration is achieved by 4 active vibration absorbing mechanisms. A counterweight, vibration absorbing rear handle, anti-vibration side grip and rubber joint construction.
- **Auto-Start Wireless System (AWS)*** – compatible with AWS the rotary hammer can be paired with a compatible vacuum for on demand dust extraction. AWS uses Bluetooth to wirelessly power on and off the extraction unit using the tools trigger.
- **Variable Speed Trigger & Dial** – impacting power can be adjusted by switch trigger and speed dial according to applications.
- **Active Feedback Sensing Technology (AFT)** – sensors shut down the tool in the event of a kickback providing user protection. If the bit rotation is suddenly forced to stop such as the bit jamming the motor automatically shuts down.
- **High Power Output** – the high power 40Vmax XGT Li-Ion battery allows for continuous operation in heavy-duty applications. Such as drilling with a 65mm diamond core bit

*AWS receiver sold separately

Heavy Duty Power



Powered by XGT 40V Max batteries
Allowing for continuous heavy duty operation

Dust Management



Compatible with multiple options for various environments

Innovation



Anti-vibration technology provides extremely low vibration of 8.6m/s^2






Safety



Active feedback sensors shut down the tool in the event of a kickback

Standard Accessories		
	331886-4	Depth Gauge
	194683-7	Bit Grease
	443122-7	Cloth



Optional SDS Plus Drilling Accessories		
	Nemisis II 4 Cutter	Link to Accessories Website
	V-Plus 2 Cutter	Link to Accessories Website
	Dust Extraction Bits	Link to Accessories Website
	Demolition Bits	Range available Page 212. Acc Catalogue
	Dry Diamond Core Bit	Range available Page 192. Acc Catalogue
	Dust Extraction Cup Set	195048-6
	Dust Extraction Vacuum Adaptor	P-80488
	AWS Bluetooth Receiver	198901-5

МАГАЗИН МАЙСТОР
БАШ МАЙСТОР
ПРОФЕСИОНАЛНИ РЕШЕНИЯ

On-Board Dust Extraction Set DX15 (191X39-9)

260mm Max. Bit Length
2 stage: 160mm & 260mm

