

40V Max Brushless X-Lock 125mm (5") Slide Switch Angle Grinder



HEAVY DUTY BRUSHLESS



GA041G

XLOCK

40V Max Brushless X-Lock 125mm (5") Slide Switch Angle Grinder

The 40V Max XGT Brushless X-Lock 125mm (5") Slide Switch Angle Grinder (GA041G) delivers corded grinding performance without the cord for the most demanding applications. The unique feature with this angle grinder is the X-LOCK Technology, which is a quick-change system for tool-free wheel changes. A click-mount and pull release lever make changing wheels easy. It is ideal for grinding and cutting a wide range of materials.

The GA041G is powered by a Makita-built brushless motor for longer run time, increased power, speed, and longer tool life. Active Feedback-sensing Technology (AFT) turns the motor off if rotation speed suddenly slows shutting down the tool in the event of a kickback.



Product Overview



HEAVY DUTY BRUSHLESS

XLOCK



XPT
EXTREME PROTECTION TECHNOLOGY



Active Feedback sensors (AFT)



Variable speed control

AWS
Auto - start Wireless System

Constant Speed Control

Soft Start / Anti-restart

Electric brake

Product Specifications



HEAVY DUTY BRUSHLESS



Wheel diameter	125mm (5")
Switch Type	Slide Switch
Electric Brake	Yes
AWS Compatible	Yes
No load speed	3,000 - 8,500rpm
Overall length	433mm
Skin weight	2.3kg
Weight (with battery)	3.3kg (BL4040)
Voltage	40V Max

- **X-Lock** – tool-less wheel lock system allows the installation / removal of X-Lock wheels in just a single action. Minimising down time and preventing over or under tightening of accessories.
- **eXtreme Protection Technology (XPT)** – engineered for increased durability and longer tool life, XPT provides increased protection against dust and moisture for when the job takes you into harsh conditions.
- **Active Feedback Sensing Technology (AFT)** – sensors shut down the tool in the event of a kickback providing user protection. If the wheel rotation is suddenly forced to stop, such as the wheel jamming the motor automatically shuts down.
- **Variable speed control** – dial allows speed to be adjusted from 3,000rpm to 8,500rpm in order to correctly match the speed to the accessory and the application
- **Auto-Start Wireless System (AWS)*** – compatible with AWS the angle grinder can be paired with a compatible vacuum for on demand dust extraction. AWS uses Bluetooth to wirelessly power on and off the extraction unit using the tools trigger.
- **Constant Speed Control** – maintains wheel speed under load to provide optimum performance in all applications.
- **Soft Start / Anti Restart** – wheel starts slowly then rapidly accelerates to maximum speed to reduce the initial start up shock. Anti-restart restricts the tool from starting if the trigger is depressed when a battery is installed.
- **Electric Brake** – maximises productivity and user safety by rapidly slowing the wheel rotation after the switch has been released.

*AWS receiver sold separately (#198901-5)

Performance



40% Faster cutting speed than the 18V equivalent

Innovation



X-Lock
Tool-less wheel change system

Durability



Engineered for increased durability and longer tool life

Safety




Active Feedback sensors, Anti-restart
Electric brake & Soft start

X-Lock System



Standard Accessories		
	E-00402	125mm X-Lock grinding disc
	162258-0	Anti-vibration side handle
	199710-5	125mm Clip on cutting wheel guard

Optional Accessories		
	E-00418-10	X-LOCK 125mm x 1.2 Flat Inox Cutting Disc A60T Grit 10 Pack
	E-00393-5	X-LOCK 125mm x 6 Metal Grind Disc A36P Grit 5 Pack
	E-00402-5	X-LOCK 125mm x 6 Inox Grind Disc WA36N Grit 5 Pack
	E-02076	X-LOCK 125mm Segmented Diamond Blade
	191G05-4	X-LOCK 125mm Plunge Diamond Wheel Guard Aluminum Housing / Able To Plunge Cut
	Accessory Catalogue	X-LOCK Wire Brushes



МАГАЗИН МАЙСТОР
 БАШ ПРОФЕСИОНАЛ РЕШЕНИЯ