

# Cordless Pruning Shears UP100D













# High cutting performance Work amount on a full battery charge



When cutting ø15mm branches of Japanese cypress

about **2,200** pcs

# 12Vmax CXT BL Cordless Pruning Shears

#### Slim and Lightweight design

The use of BL Coreless motor\*1 allows for reduction in the grip diameter and weight to reduce user's fatigue from pruning.

\*1 BL motor without iron core on which copper coil wire is wound





## Two control buttons on the tool body

Main power button and Blade opening angle adjustment button are located side by side on the rear of the grip for easier blade control.



Blade opening

button

angle adjustment



Main power button

# Adjustment of blade opening angle

The opening angle of the shear blades can be set in two levels.

fully open

Ø25<sub>mm</sub>



half-open

Ø18<sub>mm</sub>



## Adjustment of blade overlap when closed



( by pressing and holding Blade opening angle adjustment button for 3 seconds or more when fully closed )

# 35 mm 38 mm XPI

#### **LED** indicator

mounted on the front of the body, allowing the status of the machine to be checked at a glance.



- Power on


- Blinking: Battery capacity warning (when the capacity is 20% or less)

Solid on: Error indication (No battery capacity/ Thermal protection/ Overload)

#### **External oil port**

Lubrication oil can be injected without disassembling the blade.





#### **■** Cordless Pruning Saw









#### Accessories

#### Shear blade U set

Part No. 1911W2-5

Replacement upper blade for Pruning shears



#### Shear blade L set

Part No. 1911W1-7

Replacement lower blade for **Pruning shears** 



#### Dresser stone set

Part No. 1912E4-1

Dresser stone for Shear blade sharpening



#### Holster

Part No. 162C23-5





#### **MAKPAC TYPE2**

Part No. 821550-0

For smart organization and easy transportation of power tools and accessories



#### Charging Time

IZVmax ruthum#jon	DC10SB	DC10WD
<b>BL1016</b> 1.5Ah	22 <sub>min</sub>	50 min
<b>BL1021B</b> 2.0Ah	30 min	70 min
<b>BL1041B</b> 4.0Ah	60 min	130 min

#### **Cordless Pruning Shears**

UPTOOD		
Carrying Case	Capacity	Max cutting: 25 mm (1")
	Vibration level	2.5 m/s <sup>2</sup> or less
	Sound pressure level	70 dB(A) or less
	Dimensions (L x W x H)	w/o Battery: 259 x 53 x 98 mm
		(10-1/4 x 2-1/16 x 3-7/8")
		w/BL1016/BL1021B: 285 x 64 x 98 mm
		(11-1/4 x 2-1/2 x 3-7/8")
		w/BL1041B: 308 x 64 x 98 mm
		(12-1/8 x 2-1/2 x 3-7/8")
	Net weight	0.89 - 1.1 kg (2.0 - 2.4 lbs.)
	_	

Standard Equipment: Oil supply, Wrench set, Whetstone, Holster

The weight may differ depending on the attachment(s), including the battery cartridge. The lightest and heaviest combination, according to EPTA-Procedure 01/2014, are shown in the table. Items of standard equipment and specifications may vary by country or area

### Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan