

Satisfy Professional's Needs



Cordless Radio with Lantern MR010G / MR009G DMR057 / DMR056 / DMR055



XGT
40V LITHIUM-ION
max

18V
LITHIUM-ION



photo: MR010G



MR010G / MR009G

Lantern 20 LEDs	Light tone and color Daylight white
Flashlight 1 LEDs	Neutral white
	Warm white



MR009G

MR010G



DMR057 / DMR056

Lantern 20 LEDs	Light tone and color Daylight white
Flashlight 1 LEDs	Neutral white
	Warm white



DMR057

DMR056



DMR055

Lantern 20 LEDs	Light tone and color Warm white
---------------------------	---



▲ MR010G / MR009G / DMR057 / DMR056



▲ MR009G / DMR055



XGT
40V^{Li-ION}
max

18V
LITHIUM-ION



photo: MR010G



photo: DMR057



photo: DMR057

Cordless Radio with Lantern



photo: MR009G

MR010G / MR009G

Bluetooth **XPT**
▲ MR009G

Lantern 20 LEDs	Light tone and color Daylight white
Flashlight 1 LEDs	Neutral white Warm white



photo: DMR057

DMR057 / DMR056

Bluetooth **XPT**
▲ DMR056

Lantern 20 LEDs	Light tone and color Daylight white
Flashlight 1 LEDs	Neutral white Warm white



DMR055

XPT

Lantern 20 LEDs	Light tone and color Warm white
---------------------------	---

Continuous run time (approx) On a single full battery charge

MR010G (with BL4050F)			
Radio	Radio+Lantern	Lantern	Flashlight
51 h	21 h	34 h	66 h
MR009G (with BL4050F)			
Radio	Radio+Lantern	Lantern	Flashlight
58 h	21 h	34 h	66 h

DMR057 (with BL1850B)			
Radio	Radio+Lantern	Lantern	Flashlight
44 h	12 h	16 h	30 h
DMR056 (with BL1850B)			
Radio	Radio+Lantern	Lantern	Flashlight
52 h	12 h	16 h	30 h

with BL1850B		
Radio	Radio+Lantern	Lantern
52 h	12 h	16 h

Cordless Radio with Lantern that can be used at work, play, or anytime

Lantern with 3 light tone settings

MR010G / MR009G / DMR057 / DMR056 only



Warm white

You will feel relaxed.
(about 2,500K)

Neutral white


(about 3,500K)

Daylight white

You can easily read what is written / printed.
(about 5,000K)

Switch

MR010G / MR009G /
DMR057 / DMR056 DMR055



- Brightness setting button (2 stages)
(MR010G / MR009G / DMR057 / DMR056 only)
- Lantern light tone setting button (3 tones)
(MR010G / MR009G / DMR057 / DMR056 only)
- On/off and Mode select button

USB output port

MR010G / MR009G /
DMR057 / DMR056 only

- With USB output switch
- With Auto-off function
- Type A, 1 port, DC5V/ 2.4A



Multi functions

MR010G / MR009G / DMR057 / DMR056

Lantern	Flashlight	FM radio (9 stations)
dab+ (9 stations)	USB output port	Bluetooth

▲ MR009G
DMR056 only

DMR055

Lantern	AM / FM radio (9 stations)
---------	-------------------------------

Foldable hanging hook



Strap with hook allows to illuminate downwards, for example, from the ceiling to the floor

Flashlight

MR010G / MR009G / DMR057 / DMR056 only



- Daylight white single LED
- Brightness settings (2 stages)

Lens guard also works as an FM antenna.

LCD digital display



XPT

photo: MR009G

Comfort/Lifestyle Line up

Cordless Job Site Speaker

DMR203

18V
12V max



DMR202

18V
12V max
USB



DMR201

18V
12V max
USB



DMR200

18V
12V max



Continuous run time (approx): hour

On a single full battery charge

Model No.	MR010G					DMR057					
	40Vmax					18V					
Battery	PDC1200	BL4020	BL4025	BL4040	BL4050F	BL1815N	BL1820B	BL1830B	BL1840B	BL1850B	BL1860B
Radio	477	23	28	41	58	15	20	28	40	52	63
Flashlight (H/L)	538/997	26/49	31/58	46/86	66/122	9.0/17	12/23	16/32	23/45	30/58	37/70
Lantern (4 sides/3 sides)	277/380	13/18	16/22	24/33	34/47	4.5/6.5	6.0/8.5	8.5/12	12/17	16/22	19/26
Radio+Lantern (4 sides)	176	8.5	10	15	21	3.5	4.5	6.5	9.5	12	14

Model No.	MR009G					DMR056					DMR055						
	40Vmax					18V											
Battery	PDC1200	BL4020	BL4025	BL4040	BL4050F	BL1815N	BL1820B	BL1830B	BL1840B	BL1850B	BL1860B	BL1815N	BL1820B	BL1830B	BL1840B	BL1850B	BL1860B
Radio	340	20	24	36	51	13	17	24	34	44	53	15	20	28	40	52	63
Flashlight (H/L)	440/813	26/49	31/58	46/86	66/122	9.0/17	12/23	16/32	23/45	30/58	37/70	-	-	-	-	-	-
Lantern (4 sides/3 sides)	227/313	13/18	16/22	24/33	34/47	4.5/6.5	6.0/8.5	8.5/12	12/17	16/22	19/26	4.5/6.5	6.0/8.5	8.5/12	12/17	16/22	19/26
Radio+Lantern (4 sides)	140	8.0	10	14	21	3.5	4.5	6.5	9.0	12	14	3.5	4.5	6.5	9.0	12	14

Charging Time

MR010G / MR009G

DMR057 / DMR056 / DMR055

Model	Charger	Battery	Fast Charging	
			DC40RA	DC40RC
PDC1200	DC4001	BL4020 2.0Ah	22 min	30 min
		BL4025 2.5Ah	28 min	38 min
		BL4040 4.0Ah	45 min	67 min
		BL4050F 5.0Ah	50 min	85 min
PDC1200	DC18RC	BL1815N 1.5Ah	15 min	30 min
		BL1820B 2.0Ah	24 min	45 min
		BL1830B 3.0Ah	22 min	60 min
		BL1840B 4.0Ah	36 min	90 min
PDC1200	DC18SD	BL1850B 5.0Ah	45 min	110 min
		BL1860B 6.0Ah	55 min	130 min
		BL1840B 4.0Ah	36 min	90 min
		BL1850B 5.0Ah	45 min	110 min

Cordless Radio with Lantern

MR010G / MR009G / DMR057 / DMR056 / DMR055

Standard Equipment :
Strap Hook

Battery and charger are
sold separately

	MR010G / MR009G / DMR057 / DMR056	DMR055
Frequency Band	FM: 87.5-108 MHz / DAB: 174.928-239.200 MHz / DAB+: 174.928-239.200 MHz (DAB/DAB+: MR009G/DMR056 only)	FM: 87.5-108 MHz / AM: 522-1,710 kHz
Speaker Size	Ø57 mm	Ø57 mm
Illuminance	Lantern, Daylight white, 4 sides, High / Low: 145 / 72 or more lx Lantern, Neutral white, 4 sides, High / Low: 140 / 70 or more lx Lantern, Warm white, 4 sides, High / Low: 130 / 65 or more lx Flashlight, High / Low: 1,000 / 500 or more lx	Lantern, Warm white, 4 sides, High: 130 or more lx
Luminous flux	Lantern, Daylight white, 4 sides, High / Low: 310 / 155 or more lm Lantern, Neutral white, 4 sides, High / Low: 300 / 150 or more lm Lantern, Warm white, 4 sides, High / Low: 260 / 130 or more lm Flashlight, High / Low: 200 / 100 or more lm	Lantern, Warm white, 4 sides, High: 260 or more lm
Bluetooth	Version: 5.0 Profile: A2DP, SCMS-T, AVRCP Supported Codec: MR010G / DMR057: SBC, MR009G / DMR056: SBC / AAC Max Transmission Range (Optimum): 10 m (33 ft) Transmission Power Class: 2 / Compatible Bluetooth Profile: A2DP	-
Dimensions (L x W x H)	w/o Battery: 126 x 127 x 240 mm (5 x 5 x 9-1/2")	w/o Battery: 126 x 127 x 240 mm (5 x 5 x 9-1/2")
Net weight	MR010G / MR009G: 1.6 - 2.2 kg (3.5 - 4.9 lbs.) DMR057 / DMR056: 1.3 - 1.6 kg (2.9 - 3.5 lbs.)	1.2 - 1.6 kg (2.7 - 3.5 lbs.)

Not covered by EPTA-Procedure

Items of standard equipment and specifications may vary by country or area.

Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 202208