


# Electric tacker J-151



- Professional electric tacker for perfectly attaching a wide variety of sheeting and decorative mouldings on building sites and in workshops
- Uses flat wire staples up to 14 mm and nails up to 16 mm
- Takes hammer tacker staples G
- Long nozzle for precision fastening at hard-to-reach places
- Blank firing guard means staples are only released when tacker is in contact with material.
- A row of staples can be stapled parallel at one height using the distance holder.
- Ergonomic design for comfortable use
- Extra-long 3-metre cable allows you to work comfortably even in elevated locations
- Easily visible staple level
- Rubberised front protects delicate materials.
- For accurate results, the design line on the front of the tacker indicates exactly where the staples exit
- Bottom-loading mechanism with integrated staple pusher to quickly reload staples. All parts are firmly built in to the tacker and cannot be lost
- Electric impact force adjustment guarantees the right impact force for any job, whether softwood or hardwood

|                       |  |
|-----------------------|--|
| Article number        | 031-0361   |
| EAN Code              | 4009729077726  |
| Loading capacity      | 85 x Flat wire staple D model 53F<br>85 x Flat wire staple G model 11<br>85 x Nail E model J   |
| processable materials | thin wooden posts<br>Leather/ faux leather<br>Sheets<br>Paper/ cardboard<br>Waxed/ oiled papers<br>Insulation mat (glass wool)<br>Aluminium-laminated products<br>Weather strip<br>Cork tiles (2-10 m)<br>Roofing felt<br>Hardboard (2-6 mm)<br>Decorative moulding / corner mouldings |
| Features              | staple inspection window<br>Distance holder<br>Impact power adjuster<br>Nozzle<br>Express fault-clearance<br>Safety lock release<br>Integrated staple slider<br>blank firing guard<br>Long cable   |
| Cable length in m     | 3  |
| Pulse repetition rate | 20 shots/min   |
| line voltage          | 220 V / 50 H   |
| Compliance            | GS Intertek  |

# Electric tacker J-151



The tacker's narrow and long nozzle also permits precision stapling at hard-to-reach places.



The distance holder allows you to drive in a row of staples parallel to the edge.



The dial for impact force adjustment is located on the rear of the electric tacker; all functional parts are red.



Easily visible, coloured pictograms indicate which staples the tacker can process.



Extra-long 3-metre cable allows safe and comfortable working on ladders.



Integrated staple slider for quick loading of staples. All parts form a single unit with no loose parts to lose.